

SUBJECT INDEX*

- Acquired immunodeficiency syndrome (AIDS), 1363
- Aden, *see* Democratic Yemen
- Adolfo Lutz Institute, São Paulo, 610
- Aedes aegypti*, attempted eradication, Brazil, 377
- Americas, 379, 381, 593
- certification of eradication, 1104
- Afghanistan, certification by international commission, 1150, 1171–1175
- members of international commission, 1141
- cholera vaccination, 668
- economic development, 660–661
- expenditure for smallpox eradication, 398, 666
- Intensified Programme, 664–685
- budget, 1969, 666
- chronology of progress, 517–531, 676
- initiation, 664–667
- joint Afghan-WHO assessment, 667–669
- operational zones, 665, 1171
- problems, 666–668
- staff, 666, 672
- population density, 661, 665
- smallpox, among nomads, 659, 668, 673, 677–678, 679, 680, 681, 1172
- assessment of situation by WHO, 664
- case-fatality rate, 177, 178, 681
- age-specific, 678
- collaboration of malaria control staff, 674, 1172
- elimination, 338, 676–678
- importations, 677, 678, 681, 1085, 1172
- incidence, age, 678
- outbreaks, 1970–1973, 1172
- 1949–1966, 347, 348, 661, 663
- 1963–1973, 675, 676
- laboratory specimens tested, 1121
- last endemic cases, 676–678
- pockmark surveys, 1172
- reward for reporting cases, 678, 1173
- scar surveys (pockmarks, vaccination, variolation), 668, 673
- sources of outbreaks, 1970–1973, 681, 1172
- spread to other countries, 676, 1074, 1085, 1086, 1089
- surveillance-containment, 495, 674–676, 682, 1171–1173
- underreporting, 661, 663, 674
- vaccination, assessment, 491, 492, 669–670, 671
- during 1930s, 347, 661
- methodology, 669
- scar survey, nomads, 673
- Afghanistan, vaccination (*cont.*)
- 1963–1968, 663–664
- 1969–1974, 669–673, 679
- by age group, 678
- vaccine, production, 661, 664
- supplied, 471, 664, 666
- variola, 247, 661, 664, 668, 669, 677–678, 682–685, 1172, 1173–1175
- cause of smallpox outbreaks, 664, 678, 681, 683, 684, 685, 1172, 1173
- kits, 662, 683
- methods, 682–684
- viability of virus, 683, 684, 1172–1173
- volunteers, women, 664, 666, 667
- Africa, land cover development, 867
- smallpox, gods associated with, 212, 219, 223, 233, 856, 887
- history, 1000–1900, 233–235
- importations, 1969–1976, 1083–1084, 1101
- incidence, 1900–1958, 349–361
- variola, 257–258
- see also* Central Africa; Eastern Africa; North Africa; Southern Africa; Western Africa; *and under names of individual countries*
- Ahrun, description of smallpox, 212, 214
- AID, *see* United States Agency for International Development
- AIDS, *see* Acquired immunodeficiency syndrome
- Airborne infection, mousepox, 123
- smallpox, 185, 186, 191–192
- from laboratories, 193, 1098–1100
- from hospitals, 186, 192–193
- Åland Islands, smallpox, cyclic epidemics, 178
- Alastrim, 3, 329, 595
- geographical spread, 328–329, 331
- virus, 97, 99–101
- Algeria, smallpox, elimination, 349, 352, 396
- during Second World War, 351
- incidence, 1920–1964, 352
- variola, 258
- Al-Razi, description of smallpox, 212, 214
- Amaas, 3, 177, 212, 235, 242, 361
- Amazon basin, precertification searches, 1154, 1155
- smallpox occurrence, 595, 599–600
- vaccination, 427, 598
- American Type Culture Collection, stocks of variola virus, 1276

* Numbers in italics indicate that information on that page is only in an illustration or table.

- American war of independence, smallpox, 212, 239–240
 variolation, 212, 240, 257
- Americas, certification by international commission, 1110–1111, 1151–1156
 smallpox, countries reporting, 1947–1950, 390
 history, 1507–1900, 235–240
 incidence, 1959–1971, 594
see also Central America; North America; South America; *and under names of individual countries*
- Amerindians, susceptibility to smallpox, 166, 195, 197–198, 212, 236–240
 vaccination, 212, 240, 263
- Angola, certification by international commission, 1197, 1210–1211
 members of international commission, 1144
 chickenpox surveillance, 1210–1211
 civil war, 995
 smallpox, elimination, 359, 360, 396, 995
 history before 1900, 233, 235
 importations, 995, 1210
 incidence, 1927–1966, 359, 360
 laboratory specimens tested, 995, 1120, 1210, 1211
 pockmark survey, 1210, 1211
 vaccination, 995, 1211
 vaccine, freeze-dried, 995
 variola, major, 1210
 minor, 995
- Animal reservoir of smallpox, 479–480, 1322–1333
- Anopheles gambiae*, eradication, Brazil, 377–379
 Egypt, 378–379
- Antibodies, *see* Immunity after orthopoxvirus infection; Orthopoxviruses, antibodies
- “Anti-comet” test, 78, 150, 151, 154
- Antigenaemia in smallpox, 128
- Antonine plague, 213, 215
- Arab countries of the Gulf area, certification by Global Commission, 1197, 1220–1221
 laboratory specimens tested, 1220
see also under names of individual countries
- Arab traders, spread of smallpox, 212, 225, 233, 234, 235
 spread of variolation, 253, 257
- Argentina, certification by international commission, 1150, 1153–1154
 expenditure for smallpox eradication, 398, 597
 smallpox, elimination, 333, 397, 594, 595
 importations, 594, 1085
 incidence, 1936–1958, 333, 334
 1959–1971, 594, 602
 1966–1971, 1151
 spread to other countries, 1085
 vaccination, 599, 600
 scar survey, 1154
- Argentina (*cont.*)
 vaccine, donated, 464, 564
 production, 622–623
 variolation, 256
- Arthropod transmission of poxviruses, 183
- Asia, *see* Eastern Asia; South-western Asia
- Athens, plague, 213, 214–215
- Australia, compulsory vaccination, 310
 contributions for smallpox eradication, 464, 466
 quarantine, 171, 241, 362
 smallpox, history, 1789–1900, 201, 213, 240–241
 after 1900, 361–362
 variola minor, 361
- Austria, contributions for smallpox eradication, 464, 466, 1010
 smallpox, 320, 321, 323
 deaths, 1900–1919, 321
 elimination, 318, 322
 incidence, 1920–1958, 318
- Avian leukosis virus, 588
- Aztec empire, effect of smallpox, 221, 235–237, 238
- Bahrain, certification by Global Commission, 1197, 1220–1221
 laboratory specimens tested, 1121, 1220
 pockmark survey, 1220
 vaccine supplied, 471
- Balmis-Salvany expedition, 226, 237, 247, 263
- Bangladesh, certification by international commission, 1150, 1189–1193
 members of international commission, 1126, 1143
 national commission, 1191, 1192
 staff involved in precertification activities, 1189
 civil war, 807–808, 818, 843
 expenditure for smallpox eradication, 814–815
 floods, 829, 832–833
 health services, 815, 816, 826–827, 830
 Intensified Programme, 814–847
 chronology of progress, 517–535, 825
 containment, 838–839
 cross-notification of suspected cases, 839, 840
 emergency plan, 1974–1975, 829–831
 isolation of patients, 830, 832
 laboratory diagnosis, 842–843
 national mobilization, 835, 837–840
 reporting system, 817, 823, 830, 831
 resources provided, 814–815
 staff, 837, 841
 vehicles, 814, 822, 826, 834, 835, 836
 reward for reporting cases, 831, 832, 840, 1189, 1190
 searches, 503, 505, 506, 508, 840–841, 1189–1190, 1191

- Bangladesh, Intensified Programme (*cont.*)
 suppression of reports, 842
 surveillance-containment, 816–818, 823–847
 training, 749, 821, 826–827, 840
 population, density, 808, 809, 811
 movement, 809, 810, 833
 refugees, 740, 750, 807–808, 813, 819, 820–821, 822, 833, 835
 smallpox, case-fatality rate, 50–51, 177, 178
 age-specific, 813, 847
 effect of population density, 197, 811
 epidemiological research, 204, 812–813, 817
 elimination, 1970, 338, 807, 818
 1975, 338, 843–847
 importations, 820, 1085
 incidence, age, 813, 847
 cyclic, 811
 infected villages, 826–827, 828, 830
 outbreaks, 839
 seasonal, 179, 181, 811, 818, 825
 1950–1966, 346, 347
 1950–1976, 811
 1961–1976, 812
 laboratory specimens tested, 1121, 1191
 last case, 845
 pockmark surveys, 173–174, 1190, 1191, 1193
 re-establishment of endemicity, 820, 1085
 secondary attack rate, 200
 spread to other countries, 1082, 1085, 1086
 underreporting, 174, 823, 824
 urban, 813, 817
 last case in India, 788
 vaccination, 811, 812, 814–817, 823, 825, 826, 841–842
 efficacy, 813
 scar survey, 812, 813, 815
 vaccine, production, 346, 469, 563, 811, 816
 quality, 816
 supplied, 471, 816
 variolation, 810–811
- BCG vaccination, 434
 combined with smallpox vaccination, 311–312, 490, 915
 jet injector, 490, 918
see also under names of individual countries
- Beggars, spread of smallpox, 777, 788, 799, 1361
- Belgian Congo, *see* Zaire
- Belgium, smallpox, deaths, 1900–1909, 321
 elimination, 318, 322
 importations, 324, 1074
 incidence, 1920–1958, 318, 323
 vaccine donated, 464, 564, 1268, 1269
- Belize, 954
 smallpox, elimination, 333
- Benefits of smallpox eradication, financial, 1364–1365
 social, 1363–1364, 1365
see also Costs of smallpox
- Benin (Dahomey), certification by international commission, 1150, 1166–1168
féticheurs, 887, 888
 health services structure, 852–853, 899
 smallpox, elimination, 354, 892
 epidemiology, 203–204, 888–889
 eradication programme combined with measles control, 888–892
 chronology of progress, 518–523
 incidence, 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 pockmark surveys, 1165
 secondary attack rate, 200
 vaccination, 880, 881, 889, 890
 vaccine supplied, 470
 variolation, 887–888
- Bhutan, certification by international commission, 1150, 1186–1187, 1188
 members of international commission, 1142
 smallpox, importations, 802, 1085, 1086
 incidence, 1967–1976, 1179
 vaccination, 801
- Bifurcated needle, comparison with other methods, 571–572, 579, 731
 container, 572–573, 800
 cost, 572
 development, 568, 569
 durability, 570–571
 extent of use, 472–473, 572
 instructions for use, 566, 570, 572, 573, 574
 method of use, 568–572, 646, 679, 800
 modification by WHO, 569–570
 reserve stocks, 1268
 take rate, 571
see also under names of individual countries
- Biofarma Lymph Institute, Bandung, 633, 637, 639, 640, 1159
- Biological warfare, international convention, 1341
 variola virus as potential weapon, 239, 1341, 1343, 1344
- Birmingham, *see* University of Birmingham
- Black Death, 229
see also Plague
- Blijdorp zoo, Rotterdam, outbreak of monkeypox, 1288, 1289
- Blindness as sequela of smallpox, 50, 57, 196, 219, 225, 226, 231, 715, 1363
- Bolivia, certification by international commission, 1150, 1155
 expenditure for smallpox eradication, 398, 597
 smallpox, elimination, 333, 397, 594, 595
 importations, 594, 1085
 incidence, 1931–1958, 334
 1959–1971, 594

Bolivia, smallpox (*cont.*)

- laboratory specimens tested, 1121, 1156
- vaccination, 599, 600
- vaccine production, 623

Bombay, description of smallpox, 27

Books on smallpox eradication, 714, 808, 847, 894, 1005, 1038, 1283–1284

Boston, smallpox, 238, 239, 256–257, 274

- variolation, 239, 247, 256–257

Botswana, certification by international commission, 1197, 1202–1205

- members of international commission, 1144–1145, 1204

chickenpox surveillance, 1203

health facilities, 988

population density, 988, 991

smallpox, case-fatality rate, 177, 178

- chronology of eradication, 526–531

- concealment of cases, 196, 206, 993

- elimination, 1964, 359, 396, 988, 993

- 1973, 359

- importation, 989, 1084

- incidence, age, 994

- 1959–1974, 988

- 1967–1974, 1198

- laboratory specimens tested, 990, 1120, 1203

- pockmark surveys, 1203, 1204

- re-establishment of endemicity, 989, 1083

- spread to other countries, 1084

vaccination, BCG, 994

- smallpox, 988

- assessment, 993

- opposition by Mazezur 196, 993, 994

vaccine supplied, 470, 989, 990

variola minor, 982

Bovine papular stomatitis, 1288, 1317

Brazil, certification by international commission, 1150, 1152–1153, 1155–1156

- members of international commission, 1111, 1140

- surveillance, 1152–1153

expenditure for smallpox eradication, 398, 597, 620, 622

Intensified Programme, 603–622, 624–625

- Amapá, pilot programme with jet injector, 577, 601–602

- bifurcated needle, 605

- Branquinhas outbreak, 605–607

- chronology of progress, 518–527

- jet injector, 601–603

- reporting, 601, 607, 612, 613, 618–619, 621, 1152, 1153

- staff, 603–604

- surveillance-containment, 610–615, 618–619, 620, 625

- vehicles, availability, 607

- weekly surveillance report, 607, 614, 625

Brazil (*cont.*)

- malaria eradication, 377–379

- national programme, 1962, 601

- smallpox, case-fatality rate, 178, 619

- age-specific, 177, 621

- elimination, 333, 595, 616, 618–619

- history, 1555–1900, 212, 237

- hospital infections, 202, 607

- incidence, age, 621

- seasonal, 179, 180, 181

- 1920–1958, 333, 334, 335

- 1959–1971, 594

- 1967–1972, 610

- laboratory specimens tested, 1153

- school infections, 202

- secondary attack rates, 200, 612

- spread to other countries, 602, 1085

- underreporting, 612

- vaccination, 604–605, 607, 608, 609, 611, 614,

- 615–616, 617, 618

- assessment, 606–607, 621

- efficacy, 612

- scar survey, 612

- 1967–1971, 604, 609, 624

- vaccine, donated, 464, 564

- production in eggs, 603, 623–624, 625

- quality, 561–562, 588, 623–624, 1156

- supplied, 470

- variola, major, 237, 333, 335

- minor, 335, 595

- variolation, 237, 256

- yellow fever eradication, 375–377

Buffalopox, 95, 105, 1312

Bulgaria, smallpox, elimination, 319, 322

- incidence, 1920–1958, 319, 323

Burkina Faso (Upper Volta), certification by international commission, 1150, 1166–1168

- measles vaccination, 407, 853–855

- smallpox, among nomads, 895

- elimination, 354, 895

- eradication programme combined with measles control, 895–897

- chronology of progress, 518–521

- incidence, 1961–1970, 852

- 1966–1971, 1163

- laboratory specimens tested, 1120, 1166

- pockmark surveys, 1165

- vaccination, 881

- vaccine supplied, 470

Burma, certification by international commission, 1150, 1189, 1192

- members of international commission, 1126, 1143

- expenditure for smallpox eradication, 398

- smallpox, case-fatality rate, 177

- elimination, 336–337, 338, 397

- history before 1900, 213, 224

- importations, 1085, 1086, 1133

- Burma, smallpox (*cont.*)
 incidence, 1920–1958, 336–337, 345
 1967–1976, 1179
 laboratory specimens tested, 1121, 1189
 pockmark surveys, 1189, 1192
 vaccine, production, 469
 supplied, 471
- Burundi, certification by international commission, 1150, 1168–1170
 Intensified Programme, 959, 962
 agreement with government, 949–950
 chronology of progress, 518–525
 resources employed, 955
 smallpox, elimination, 354, 964
 incidence, 1965–1977, 947
 1965–1972, 1168
 laboratory specimens tested, 1120, 1170
 pockmark surveys, 1169
 vaccination, 948, 952, 962
 vaccine, liquid, 947, 959
 supplied, 470, 951–952
- Butantan Institute, São Paulo, 603, 623
- “Buying the smallpox”, 253–254
- Calcutta, importance for smallpox eradication, 747
 Institute of Tropical Medicine, 183, 479
 smallpox, epidemiology, 206
 searches, 789
 secondary attack rate, 200
 street dwellers, 786
 virological studies, 183–185
- Cambodia, *see* Democratic Kampuchea
- Camelpox, 75, 1315, 1316
 parapoxvirus as occasional cause, 1317
 vaccinia virus as occasional cause, 105
 virus, 75, 118, 1316, 1317
 biological characteristics, 84, 87
 differentiation from variola virus, 83, 104, 1319
 DNA, 94, 1282
- Cameroon, certification by international commission, 1150, 1169–1170
 contributions for smallpox eradication, 464
 health services structure, 852–853, 906
 human monkeypox, 1296
 smallpox, elimination, 354
 eradication programme combined with measles control, 907
 chronology of progress, 518–521
 importations, 907, 1084
 incidence, 1925–1966, 355
 1961–1970, 852
 1967–1971, 1168
 laboratory specimens tested, 1120, 1170
 pockmark surveys, 1169
 vaccine supplied, 470, 906–907
 vaccination, BCG, 906
- Cameroon, vaccination (*cont.*)
 smallpox, 881, 906–907
 yellow fever, 906
- Canada, contributions for smallpox eradication, 464, 466, 815, 835, 1026, 1053
 smallpox, elimination, 328, 333
 importation, 594, 1070, 1081
 incidence, 1924–1952, 328
 vaccine, donated, 464, 564, 1268
 production, 562
 variola minor, 331, 332, 1081
- Cape Town, smallpox, 212, 233–235, 360
 variolation, 235
- Cape Verde, vaccine supplied, 470
- CARE, 834, 835
- Caribbean area, smallpox, 212, 236, 238
- Caroline Islands, smallpox, 242
- Case-fatality rate, monkeypox, 1302
 smallpox, 5, 50–51, 175–178
 after importations into Europe, 1074, 1076–1077
 age-specific, 53, 176–177
 demographic influences, 197–198
 effect of vaccination, 5, 52–53, 176
 hospitals, 50–51, 177
 rural and urban areas, 50–51, 177, 178
 “virgin-soil” epidemics, 195, 197, 227, 235, 236, 237, 238
 variola minor, 175, 177, 178, 621
see also under names of individual countries
- Catherine-de-Barnes Hospital (England), 1072, 1097
- CDC, *see* Centers for Disease Control
- Cell-mediated immunity, 147, 148, 155–157
 orthopoxvirus infections, 156–157
 smallpox, 157
 methods for measuring, 155–156
 vaccinated persons, 159–161
- Centers for Disease Control (USA), assistance,
 Bangladesh, 811, 837
 India, 769
 Somalia, 1053
 control of vaccine, post-eradication, 1265
 information on Iran outbreak, 1087
 jet injector studies, 576–577, 601–602
 smallpox eradication-measles control programme
 in western and central Africa, 407–408, 417–418, 849–909
 OCEAC countries, 907
 operations officers, 861
 regional office in West Africa, 860, 876
 relations with USAID, 855–860
 surveys of vaccinal complications, 302–306
 training courses for smallpox eradication, 418, 437, 863
see also WHO collaborating centre, Atlanta

- Central Africa, certification by international commission, 1168–1170, 1171
 coordination of precertification activities, 1169
 members of international commission, 1141–1142, 1171
 human monkeypox, 1169, 1170
 incidence, 1970–1984, 1296
 smallpox, eradication programme combined with measles control, costs, 859, 860
 development, 853–860
 government agreements, 857–860
 health services structure, 852–853, 906, 907
 jet injectors, 906, 908
 national programmes, 906–908
 objectives, 860
 OCEAC role, 876
 USA role, 849–850, 857
 history before 1900, 212, 233, 234, 235
 incidence, 1900–1958, 353–356
 1920–1966, 356
 1965–1972, 1168
 laboratory specimens tested, 1170
 pockmark surveys, 1169
 vaccination, BCG, 906
 smallpox, 906–908
 yellow fever, 906
 vaccine supplied, 906–907
see also under names of individual countries
- Central African Republic, certification by international commission, 1150, 1169–1170
 health services structure, 852–853, 906
 human monkeypox, 1296, 1303
 smallpox, elimination, 354
 eradication programme combined with measles control, 907
 incidence, 1961–1970, 852
 laboratory specimens tested, 1120, 1170
 pockmark surveys, 1169
 vaccination, BCG, 906
 smallpox, 881
 yellow fever, 906
 vaccine supplied, 470, 906–907
- Central America, smallpox, 327–329
 elimination, 329, 333
 incidence, 1920–1958, 329
 yellow fever eradication, 376
see also under names of individual countries
- Central nervous system disease, as complication of vaccination, 300–301, 306–307
 as contraindication to vaccination, 308
- Centre for Applied Microbiology and Research, United Kingdom, 1096, 1274, 1276, 1282
- Cercopithecus aethiops*, monkeypox virus infection, 1289, 1309
- Cercopithecus ascanius*, monkeypox virus infection, 1289, 1309
 “whitepox” virus, 1328, 1330
- Certification of eradication, *Aedes aegypti*, 1104
 concept, 1104, 1107–1108, 1110
 definition and criteria, 1108–1110
 malaria, 1104, 1107
 smallpox, 538, 1107–1140, 1362–1363
 Africa south of the Sahara, organization, 1161–1162
 categories of countries, 1128–1130, 1133
 chronology, 1130–1131, 1132, 1133, 1150
 coordination, 1113–1114
 global, 1127–1130, 1363
 historical development, 1107–1108, 1110–1113
 national preparations, 1110, 1111, 1112–1113, 1114–1123
 guidelines, 1131
 strategies, 1107, 1110–1113
see also Consultation on Worldwide Certification of Smallpox Eradication; Global Commission for the Certification of Smallpox Eradication; International commissions for the certification of smallpox eradication; *and under names of individual countries*
- Ceylon, *see* Sri Lanka
- Chad, certification by international commission, 1150, 1169–1170
 civil disorder, 908
 health services structure, 852–853, 906
 smallpox, elimination, 349, 354, 356, 396, 908
 eradication programme combined with measles control, 907–908
 importations, 908, 1084, 1133
 incidence, 1928–1966, 356
 1961–1970, 852
 1965–1972, 1168
 island outbreaks, 907–908
 laboratory specimens tested, 1120, 1170
 pockmark surveys, 1169
 vaccination, BCG, 906
 smallpox, 881, 908
 yellow fever, 906
 vaccine supplied, 470, 906–907
- Charter of Punta del Este, 601
- Chemoprophylaxis, smallpox, 66–67
- Chemotherapy, complications of vaccination, 309
 smallpox, 66–68
- Chickenpox, age distribution of deaths, India, 746
 differentiation from, variola major, 61, 63, 213, 440–441, 745, 746, 1158, 1172, 1173, 1183–1184, 1190, 1199, 1272
 variola minor, 56, 63, 1027, 1118
 laboratory tests, 1200
 rash, 58
 reported deaths, Madagascar, 1211, 1212
 reporting, 1176–1177
 seasonal incidence, 179
 secondary attack rate, 200

- Chickenpox (*cont.*)
 severity in adults, 61, 746
 surveillance, precertification, 1114, 1118, 1122, 1199, 1200
see also under names of individual countries
- Chile, certification by international commission, 1150, 1152
 expenditure for smallpox eradication, 597
 smallpox, elimination, 333, 334, 595
 importations, 594, 598, 1085
 incidence, 1920-1958, 334
 1959-1971, 594
 vaccine production, 622-623
 variolation, 256
- Chimpanzee, monkeypox, 1289, 1303
 smallpox, 1325
 "whitepox" virus, 1328, 1329-1330
- China, certification by Global Commission, 1133, 1228, 1248-1261
 visit by WHO consultants, 1253-1255
 health services, 1250, 1254
 population density, 340
 relations with WHO, 370, 404, 425, 517, 1248, 1250-1253
 smallpox, ancient historical accounts, 216
 elimination, 336-337, 338, 340-342, 397, 1257
 gods and goddesses, 222, 225
 history before 1900, 213, 225-226, 227
 importations, 342, 1255, 1258, 1259
 incidence, seasonal, 339
 1921-1958, 336-337, 338
 1950-1965, 340, 341
 Nei Monggol Autonomous Region, 1255, 1259-1260
 pockmark surveys, 1257, 1258, 1259
 Shanghai, 341, 342-343
 Shanxi Province, 1255, 1260
 Xizang Autonomous Region (Tibet), 1257-1259
 Yunnan Province, 1255, 1256-1257, 1258, 1259
 Tibetan refugees in Nepal, pockmark survey, 1186, 1250
 vaccination, 799
 vaccination, introduction, 213, 226, 339
 mass campaign, 339, 340, 342-343
 vaccine production, 337, 339-340
 variolation, 187, 213, 225, 226, 247, 252-253, 268, 339
 cause of smallpox outbreaks, 342, 1255, 1256, 1259-1260
 variola virus stocks, 1260
- China (Province of Taiwan), expenditure for smallpox eradication, 398
 relations with WHO, 1248
 smallpox, elimination, 1258
 vaccine donated, 564
- Cholera, diversion of smallpox staff, 668, 699, 743, 752, 936
 influence on acceptance of idea of smallpox eradication, 713
 Research Laboratory, Dhaka, 812
 suppression of reports, 1087
- Chordopoxvirinae, 72-73
- Clinical types of smallpox, classification, 4-5
see also Flat-type smallpox; Haemorrhagic-type smallpox; Modified-type smallpox; Ordinary-type smallpox
- Collection kit, for virological specimens, 110, 434, 435, 1215
- Colombia, certification by international commission, 1150, 1154
 expenditure for smallpox eradication, 398, 597
 smallpox, elimination, 333, 397, 594, 595
 incidence, 1927-1958, 334
 1959-1971, 594, 599
 search in Amazon basin, 599
 vaccine donated, 464, 564
 vaccine production, 622-623
 vaccination, 598, 599, 600
 scar survey, 1154
 yellow fever, 376, 379
- Committee on Orthopoxvirus Infections, 1264, 1269, 1275, 1276, 1280, 1285, 1341
- Communicable Disease Center, *see* Centers for Disease Control
- Comoros, vaccine supplied, 470
- Complement-fixation test, 149
 overt smallpox, 45-46
 persistence of antibodies, after smallpox, 157, 158
 after revaccination, 158, 159
 after vaccination, 158, 159
 subclinical smallpox, 30-31, 40
- Complications, smallpox, 47-49, 57
 vaccination, 296-311
- Concealment of smallpox, 196, 202, 206, 733, 844, 993, 1052, 1087, 1088, 1090, 1123
see also Incidence of smallpox; Reporting of smallpox cases; Suppression of reports, smallpox
- Congenital infection, vaccinia virus, 301-302
 variola virus, 42, 123-124
- Congo (People's Republic of), certification by international commission, 1150, 1169-1170
 health services structure, 852-853, 906
 human monkeypox, serological survey, 1307
 smallpox, elimination, 354
 eradication programme combined with measles control, 906-908
 incidence, 1961-1970, 852
 1965-1972, 1168
 laboratory specimens tested, 1120, 1170
 pockmark surveys, 1169

- Congo (People's Republic of) (*cont.*)
 vaccination, BCG, 906
 smallpox, 881
 yellow fever, 906
 vaccine supplied, 470, 906–907
- Congo, Democratic Republic of the, *see* Zaire
- Conjunctivitis in smallpox, 30, 45, 123
- Connaught Medical Research Laboratories, Toronto, 467, 547, 548, 550, 603, 622, 623, 625, 1267
see also WHO Regional Reference Centre for Smallpox Vaccine in the Region of the Americas
- Consultation on Worldwide Certification of Smallpox Eradication, 1127–1130
 categories of countries for certification, 1128–1130, 1133
 establishment of Global Commission, 1130
 participants and advisers, 1146–1147
- Contact fever in smallpox, 29
- Contact infection in smallpox, 189, 190, 191, 203, 204, 205, 206, 207, 422, 689, 699
- Contacts, tracing, 494, 497–498
- Containment, 498, 501–503, 509–513
 early history, 275
 manpower and costs, India, 786
see also Surveillance-containment strategy
- Corpses, possibility of variola virus in scabs, 194, 1273, 1343
see also Mummies
- Cortisone, effects in smallpox, 127
- Costa Rica, smallpox, elimination, 329, 333
 incidence, 1920–1958, 329
- Costs, smallpox, 1363–1366
 developing countries, 1364–1365
 industrialized countries, 415, 1365
 smallpox eradication, 1365
 estimated, 369, 408, 413, 459–463
 expenditure, international, 1959–1966, 384, 391, 395, 398
 1967–1979, 462, 463, 466, 467, 1366
 national, 1365, 1366
see also Global smallpox eradication programme, 1959–1966; Intensified Smallpox Eradication Programme; and under names of individual countries
- Côte d'Ivoire, certification by international commission, 1150, 1166–1168
 expenditure for smallpox eradication, 398
 human monkeypox, 1293, 1296
 prevalence survey, 1306–1307
 smallpox, elimination, 352, 354, 396
 eradication campaign, 1960–1966, 352
 eradication programme combined with measles control, 902–903
 importations, 901, 903
 incidence, 1961–1970, 852
- Côte d'Ivoire, smallpox (*cont.*)
 laboratory specimens tested, 1120, 1166
 pockmark surveys, 1165
 vaccination, 352, 881, 902–903
- Council of Arab Minister's Fund for Health Development, contributions for smallpox eradication, 464
- Country report, precertification, 1107, 1114, 1115, 1123, 1128, 1129–1130, 1133
- Cowpox, 258, 260, 263, 265
 epidemiology, 1312–1314
 in cows, caused by cowpox virus, 1300, 1313, 1314, 1316
 caused by vaccinia virus, 105, 108, 1311
 in humans, 1300, 1312, 1316
 in other animals, 1313, 1314
 spurious, 108, 260, 1300, 1313, 1316
- Cowpox virus, 73, 74, 118
 biological characteristics, 84, 85, 87, 93, 108–109
 compared with vaccinia virus, 278
 DNA, 94, 1313–1314
 isolation from various animals, 1313, 1314
 persistence in animals, 145–146
 possible reservoir hosts, 1314, 1315
 white pock mutants, 92, 108–109
- Crimean-Congo haemorrhagic fever, 1278
- Cuba, donation of vaccine, 367
 expenditure for smallpox eradication, 597
 smallpox, 236
 vaccine production, 622–623
 variola minor, 323
 yellow fever eradication, 374–375
- Cynomolgus monkey, kidney cells, monkeypox virus recovered from, 1288
 "whitepox" virus recovered from, 1326, 1327–1328
 monkeypox, 1288, 1289, 1290
 serial transmission of variola virus, 1325
- Cyprus, contributions for smallpox eradication, 401
 smallpox, 321
 vaccine supplied, 471
- Cytosine arabinoside, 67–68
- Czechoslovakia, smallpox, elimination, 319, 322
 incidence, 1920–1958, 319, 321, 323
 importations, 1074, 1076
 routine vaccination, annual cost, 415
 vaccine donated, 464, 564
 variolation, 247, 253, 254–255
- Dahomey, *see* Benin
- Deaths, *see* Case-fatality rate
- Democratic Kampuchea, certification by Global Commission, 1197, 1224, 1225
 smallpox, elimination, 338, 346, 397

- Democratic Kampuchea, smallpox (*cont.*)
 incidence, 1952–1963, 1224
 vaccine supplied, 471
- Democratic People's Republic of Korea, *see* Korea
- Democratic Yemen, certification by international commission, 1197, 1219–1220
 members of international commission, 1145
 civil disorder, 1003–1004
 expenditure for smallpox eradication, 1003–1004
 Mecca pilgrims, 1003
 refugees, 1003
 smallpox, elimination, 349, 397
 eradication programme, 1003–1004
 importations, absence of, 1003
 incidence before 1967, 1003
 laboratory specimens tested, 1121, 1219
 pockmark surveys, 1219, 1220
 reward for reporting cases, 1219
 vaccination, BCG, 1003, 1004
 smallpox, 998, 1003, 1004
 vaccine supplied, 471
 variola minor, 1003
- Denmark, contributions for smallpox eradication, 463, 464, 466, 815, 835
 smallpox, deaths, 1900–1919, 321
 elimination, 171, 322
 importation, 1074, 1079–1081
 incidence during 20th century, 323, 327
- Diagnosis of smallpox, alternative, 63, 64
 clinical, 19–22, 23
 differential, 55–63
 laboratory, 64, 109–110
 methods, 110–114
see also Laboratory specimens tested by WHO;
 WHO collaborating centre, Atlanta, Moscow
- Disinfection, after imported case in Japan, 1082
 for smallpox containment, 498, 501, 502
- Djibouti (French Territory of the Afars and the Issas), certification by international commission, 1133, 1243–1244, 1246, 1247
 members of international commission, 1145
 health services, 1041
 refugees, 486, 1040–1041
 smallpox, elimination, 354, 396, 1042, 1044
 importations, 1034, 1038, 1041, 1043–1044, 1084
 incidence, 1962–1978, 1041
 international cooperation in surveillance, 1020–1021
 laboratory specimens tested, 1120
 reward for reporting cases, 1244
 searches, 1244
 vaccination, 1038, 1041–1042, 1243–1244
 scar survey, 1243–1244
 vaccine supplied, 470
 variola, major, 1041
 minor, 1041
- DNA, *see* Orthopoxviruses; *and under individual viruses*
- Dracunculiasis, elimination in USSR, 366
 proposed global elimination, 387, 1366, 1367, 1368–1369
- Droplet nuclei, 191
 infectivity of variola virus in, 185–187
- Drug eruptions, in differential diagnosis of smallpox, 60, 62
- Dubai, laboratory specimens tested, 1121
see also United Arab Emirates
- East Pakistan, *see* Bangladesh
- Easter Island, smallpox, 242
- Eastern Africa, expenditure on smallpox eradication, 950–951
 Intensified Programme, 951–964
 agreements with governments, 948–951
 resources, 955
 smallpox, case-fatality rates, 948, 949
 control before 1969, 946–948
 history to 1900, 233–235
 importations, 964–967
 incidence, 1920–1966, 357–359
 1965–1977, 947
 surveillance, 963–964
 trade with India, 358
 vaccination, before 1969, 947
 1967–1973, 948, 952–962
 vaccine, production, 947, 951–952
 supplied, 951
 variola, major, 945–946, 948
 minor, 945–946
see also Burundi; Kenya; Rwanda; Uganda; United Republic of Tanzania
- Eastern Asia, smallpox, history, 1000–1900, 225–228
 1900–1958, 335–346
 incidence, 1920–1966, 336–337
see also under names of individual countries
- Ebola virus disease, 1113, 1278
- Ectromelia virus, 73, 74–75, 118
 biological characteristics, 84, 87
 DNA, 94
 persistence in animals, 144–145
see also Mousepox
- Ecuador, certification by international commission, 1150, 1152
 expenditure for smallpox eradication, 398, 597
 smallpox, elimination, 333, 397, 594, 595
 incidence, 1923–1958, 334
 1959–1971, 594
 vaccination, 599, 600
 vaccine production, 622–623
 variola, major, 333
 minor, 333, 594
 yellow fever eradication, 376

- Eczema, contraindication to vaccination, 307–308
- Eczema vaccinatum, 298, 299
frequency, 303–305
- Egypt, expenditure for smallpox eradication, 398
malaria, 378–379
smallpox, during ancient times, 210–211, 233
elimination, 349, 352
incidence, 1920–1964, 351, 352
and deaths, 1886–1931, 353
variola minor, 323
variolation, 212, 225, 247
- Electron microscopy, herpesvirus virions, 111
orthopoxvirus virions, 72, 77, 111
orthopoxvirus DNA, 80, 103
smallpox diagnosis, 110–111, 113, 114
- Elimination of smallpox, definition, 1110
- ELISA, 150
- El Salvador, smallpox, elimination, 329, 333
incidence, 1925–1958, 329
- Enanthem, monkeypox, 1297
smallpox, 7, 19, 45
source of infectious virus, 183–184
histopathology, 138–139
- Encephalitis, concomitant disease, 300
postvaccinal, 300–301, 473
frequency, 304, 305, 306, 307
histopathology, 142–143
pathogenesis, 143
with cowpox, 1316
with variola, 49, 143
see also Central nervous system disease;
Encephalopathy
- Encephalopathy, postvaccinal, 300–301
- Endemic countries, assessment of, 393
definition, 517
epidemics, 178–179
numbers, by continent, 1920–1977, 170–171
during 18th century, 170
1900, 362
1920–1958, 170, 171, 172–173
1958, 362
1959, 394, 395, 396–397
1959–1966, 172
1965, 411
1967, 394, 395, 396–397, 518
1967–1978, 170–173, 516, 517–538
see also Non-endemic countries
- Envelope of vaccinia virus, 75, 76, 77
“anti-comet” test, 150–151
effect on penetration of virus into cell, 86
effect on spread through body, 129, 130, 131
formation, 88–89, 91
significance in protection, 78, 154, 162–163
viral polypeptides in, 78
- Enzyme-linked immunosorbent assay, 150
- Epidemics of smallpox, before 1900, 214–217
cyclic fluctuations, 178–179, 218
effect on vaccination rates, 179
forecasting, 182
in endemic countries, 178–179, 224
“virgin-soil”, 224, 227, 229, 234–235, 236–240
1000–1900, 217–244
1900–1958, 321–362
- Epidemiology of smallpox, 169–208
among nomads, 205, 1057, 1060
case studies, rural, 203–205
urban, 206
eradication zones, 517
observations by al-Razi, 214
research in Pakistan, 204–205, 687–690
see also Case-fatality rate; Contact infection;
Epidemics of smallpox; Hospitals; Humidity;
Incidence of smallpox; Islands; Population size;
Schools; Seasonal incidence; Social factors
affecting smallpox; Spread of smallpox; Variola
virus, infection with
- Equatorial Guinea, certification by international
commission, 1150, 1169–1170
smallpox, elimination, 354, 396
eradication programme combined with measles
control, 851
incidence, 1961–1970, 852
pockmark surveys, 1169
vaccination, 881
vaccine supplied, 470
- Equination, 108, 265
- Eradication, *Aedes aegypti*, 377, 379
animal diseases, 371, 372–373
Anopheles gambiae, 377–379
definition, 371–372
difficulties, 388
dracunculiasis, 366, 387, 1366, 1368–1369
feasibility, R. Dubos, 387, 388
F.L. Soper, 377, 378, 379, 380, 387
history of concept, 371–393
hookworm, 373–374, 376
malaria, 379–386
measles, 387, 1367–1368
poliomyelitis, 387, 1366, 1368
Rockefeller Foundation, role, 373–377
smallpox, criteria, 1109, 1110
definition, 1108–1109, 1321–1322
global, declaration of, 1134–1140
main epidemiological zones, 517
publicity for, 1134
prediction by Jenner, 259, 540
principles, 422, 1346
proposals, Haygarth and Carl, 256
Simpson, 275
WHO, 366–371, 391–393
role of WHO, 1349–1351

- Eradication (*cont.*)
 yaws, 386–387, 1369
 yellow fever, 374–377, 1322–1323
see also Certification of eradication; Malaria, eradication
- Erythema multiforme, in differential diagnosis of smallpox, 59, 62
- Ethiopia, certification by international commission, 1133, 1231–1237, 1245, 1247, 1249
 members of international commission, 1145–1146
 influence of military activity, 1230, 1231, 1232, 1233, 1236
 surveillance in Ogaden desert, 1235–1237
 visits by international commission, 1244–1247
 civil disorder and war, 1017, 1021–1022, 1025, 1026, 1028, 1029, 1034, 1038, 1040, 1061, 1231–1232, 1233, 1236
 communications, 998, 1005–1006, 1013
 demography, 1005, 1011
 expenditure for smallpox eradication, 1010
 health facilities, 1006, 1011
 Intensified Programme, 1009–1035
 agreement of government, 1008–1009
 capture of smallpox workers, 1023, 1024, 1030–1031, 1047
 chronology of progress, 518–537
 coordination meetings, 449, 749
 delay in commencement, 1007–1009
 equipment maintenance, 1018
 helicopters, 1021, 1022, 1023, 1027, 1028, 1029, 1030, 1031, 1051
 nomads in Ogaden, 1027, 1028, 1029
 searches, 175, 503, 504, 507, 1012, 1018–1019, 1032, 1232–1233
 Somali guerrilla forces, 1028, 1029
 staff involved, 1010, 1016
 surveillance activities, 1011, 1012, 1018–1019, 1025
 across borders, 1019
 in hostile areas, 1020, 1023, 1025, 1026, 1030–1031
 international cooperation, 1019, 1020–1021
 report, 1011
 malaria eradication programme, relations with smallpox programme, 998, 1006, 1007, 1008, 1010, 1015, 1021
 refugees, 1020, 1040–1041
 smallpox, case-fatality rates, 178
 age-specific, 177, 1033
 elimination, 354, 1032
 history, 19th century, 235
 early 20th century, 243, 358, 1006
 incidence, age, 1033
 1931–1966, 357
 1971–1977, 1016
 laboratory specimens tested, 1120, 1233–1234, 1237
- Ethiopia, smallpox (*cont.*)
 last outbreak, 1014, 1032
 secondary attack rate, 1033
 spread to other countries, 1020, 1034, 1083, 1084
 underreporting, 175, 1011
 vaccination, before 1971, 1014
 opposition to, 1007, 1016, 1019–1020
 1971–1977, 1016
 vaccine, production, 562, 1006
 supplied, 470, 1010
 variola, major, 243, 358, 1014, 1015
 minor, 243, 358, 998, 1006, 1007, 1016, 1033, 1034
 variolation, 1005, 1006, 1007, 1011, 1017, 1009, 1032, 1033
 volunteers, 1008, 1009, 1010, 1012, 1015, 1016, 1018, 1026
- Europe, smallpox, ancient historical accounts, 213, 214–215
 deaths, 1900–1919, 321
 effect, First World War, 321
 Franco-Prussian war, 232, 273
 Second World War, 323–324
 elimination, 322
 hospitals as source, 201, 1076, 1077, 1079, 1080
 importations, 180, 201, 202, 324, 1070, 1073–1081
 incidence, seasonal, 179, 180, 1076, 1078
 1000–1900, 229–232
 1920–1958, 318, 319, 323
 spread to other countries, 232–242
 vaccination, efficacy, 271–273
 spread, 231
 variola minor, 323, 324
 variolation, 231, 253–256
see also under names of individual countries
- Executive Board of WHO, membership, 425
 1958, resolution (EB22.R12) establishing Special Account for Smallpox Eradication, 367
 1959, resolution (EB23.R40) suggesting quality control of vaccine, 369
 1966, discussion of Intensified Programme, 414–415
 1970, resolution (EB45.R26) on surveillance-containment, 483
- Expanded Programme on Immunization, 1353
- Féticheurs*, 203, 219, 235, 887, 888
- Fever with rash, 1061, 1177, 1180–1181, 1182, 1189, 1190, 1233, 1240–1241
see also Rumour register
- Fiji, measles, 242

- Financial aspects, global smallpox eradication programme, 1959-1966, budgetary provision, 393, 395, 399-400
 estimated costs, 369-370, 408
 expenditure, 384, 391, 395, 398
 voluntary contributions, 397, 400-402
- Intensified Programme, 459-467, 1358-1361
 bilateral assistance, 413, 459, 463, 464, 466-467, 1358, 1366
 expenditure, actual, 462, 463, 466, 467, 1366
 estimated, 413, 459-463
 local costs, 459, 859, 908, 1360-1361
 transfers of funds within WHO, 414, 461-462, 760, 762
 United Nations system contributions, 459, 460, 463, 464, 465, 466, 467, 1358, 1366
 voluntary contributions, 413, 418, 459, 463, 464, 465-467, 1360, 1366
 WHO regular budget, 393, 409-410, 414-417, 459, 460-463, 1350, 1366
 expenditure by WHO region, 1967-1979, 463
see also Costs; and under names of individual countries
- Finland, contributions for smallpox eradication, 464, 466
 smallpox, cyclic variations in incidence, 178
 deaths, 1900-1919, 321
 elimination, 319, 322
 incidence, 1920-1958, 319, 323
 vaccine donated, 464, 564
 variola minor, 323
- Flat-type smallpox, 4-5, 31-33
 rash, 31-32, 33
 toxæmia, 31
- Fomites in transmission of smallpox, 194, 202, 234, 1058, 1077, 1343
- France, contribution to WHO budget, 1967, 415
 contributions for smallpox eradication, 1053
 smallpox, deaths, 1900-1919, 321
 elimination, 318, 322
 importations, 324, 326
 incidence, 15th century, 229
 20th century, 326
 1920-1958, 318, 323
 support for OCCGE and OCEAC, 876
 vaccine, donated to WHO 564
 supplied to African countries, 286, 906-907
 variolation, 247, 255
- French Guiana, certification by international commission, 1150, 1154
 smallpox, elimination, 333, 595
 importations, 594, 599, 602, 1085
 vaccination, 599
- French Territory of the Afars and the Issas, *see* Djibouti
- French West Africa, smallpox, incidence before 1958, 351-352, 355
 vaccine, dried, 351, 352
- French West Africa (*cont.*)
 variola, major, 352
 minor, 352
- Funeral ceremonies in transmission of smallpox, 194, 202, 900
- Gabon, certification by international commission, 1150, 1169-1170
 health services structure, 852-853, 906
 smallpox, elimination, 354
 eradication programme combined with measles control, 906-908
 incidence, 1961-1970, 852
 1966-1971, 1163
 laboratory specimens tested, 1170
 pockmark surveys, 1169
 spread to other countries, 1074
 vaccination, BCG, 906
 smallpox, 881
 yellow fever, 906
 vaccine supplied, 470, 906-907
- Gambia, certification by international commission, 1150, 1166-1168
 smallpox, elimination, 354, 396
 eradication programme combined with measles control, 904, 905
 incidence, 1961-1970, 852
 1966-1971, 1163
 pockmark surveys, 1165
 vaccination, 881
 vaccine supplied, 470
- Gel-precipitation test, 151-152
 for laboratory diagnosis of smallpox, 45, 64, 111, 113, 745
- Geneva, early smallpox records, 213, 230
- Gerbils, orthopoxvirus infections, 73, 75, 145-146, 1313, 1314, 1315
- Germ theory, 229, 274, 282
- German Democratic Republic, smallpox, importations, 1074
 vaccine donated, 464, 564, 1268, 1269
- Germany, revaccination, 232, 273
 smallpox, deaths, 1900-1919, 321
 during 20th century, 320, 321, 323, 326
 elimination, 318, 322
 importations, 321
 incidence, 1920-1958, 318, 323
 variola minor, 323
- Germany, Federal Republic of, contribution to WHO budget, 1967, 415
 contributions for smallpox eradication, 464, 466, 1010
 importations, 1070, 1072, 1073, 1074, 1075
- Ghana, certification by international commission, 1150, 1166-1168

- Ghana (*cont.*)
 contributions for smallpox eradication, 464
 smallpox, elimination, 354, 902
 eradication programme combined with measles control, 901–902
 chronology of progress, 518–519
 importations, 901, 902, 1084
 incidence, 1920–1966, 355
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 pockmark surveys, 1165
 vaccination, 881, 902
 vaccine supplied, 470
- Global Commission for the Certification of Smallpox Eradication, 1130–1134
 chronology of certification, 1130–1134
 dissolution, 1264
 establishment, 1130
 final report, 1134, 1140
 implementation of recommendations, 1264–1286
 membership, 1131, 1146–1147, 1262
- Global smallpox eradication programme, 1959–1966,
 adoption, 366–371
 development towards Intensified Programme, 405–418
 earlier WHO activities, 388–394
 financial aspects, budgetary provision, 393, 395, 399–400
 estimated costs, 369–370, 408
 expenditure, 384, 391, 395, 398
 voluntary contributions, 397, 400–402
 operational strategy, 369, 384, 394–395, 399, 403, 404
 reduction of smallpox achieved, 393–394, 395, 396–397, 403–405, 411
 staff, 395–396
 World Health Assembly discussions, 366–371, 391–393, 396–400, 403, 408–409, 414–416
see also Costs; Executive Board of WHO; Intensified Smallpox Eradication Programme; Mass vaccination campaigns; Vaccination; Vaccine; WHO Expert Committee on Smallpox; World Health Assembly; *and under names of individual countries*
- Glycerol, bactericidal effect demonstrated, 213
 in liquid vaccine, 247, 267, 282–283
 in reconstitution fluid for freeze-dried vaccine, 553–554
- Gods, goddesses and saints associated with smallpox, 219, 220, 221, 222, 223, 225, 233, 715, 716, 740, 793, 798, 856, 887
- Grease, 108, 109, 265
- Greece, contributions for smallpox eradication, 401, 464
 smallpox, ancient historical accounts, 214–215
 elimination, 319, 322
- Greece, smallpox (*cont.*)
 incidence, 1921–1958, 319, 323, 324
- Green monkeys, *see Cercopithecus aethiops*
- Guam, smallpox, 242
- Guatemala, smallpox, elimination, 329, 333
 incidence, 1927–1958, 329
 variolation, 256
- Guide to the Laboratory Diagnosis of Smallpox for Smallpox Eradication Programmes*, 110, 1334
- Guinea, certification by international commission, 1150, 1166–1168
 smallpox, case-fatality rate, 901
 elimination, 354, 899
 eradication programme combined with measles control, 897–899
 chronology of progress, 518–521
 WHO financial support, 898
 incidence, age-specific, 1968–1969, 901
 by province, 1967, 898
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120
 pockmark surveys, 1165
 vaccination, measles, 899
 smallpox, 881, 899
 assessment, 491
 vaccine, donated to WHO, 464, 564
 production, 351, 469, 562, 564, 565
 supplied, 470
 variola minor, 352
- Guinea-Bissau, certification by international commission, 1150, 1166–1168
 smallpox, elimination, 354
 incidence, 1961–1970, 852, 880
 pockmark surveys, 1165
 vaccine supplied, 470
- Guyana, certification by international commission, 1150, 1155–1156
 smallpox, elimination, 333
 laboratory specimens tested, 1121
 vaccination, 599, 600
- Haemadsorption, by orthopoxvirus-infected cells, 89, 151
 by variola-virus-infected cells, 98–99
- Haemagglutination-inhibition test, 78–79, 150–151
 clinical smallpox, 45–46
 persistence of antibodies, after smallpox, 157, 158
 after revaccination, 158, 159
 after vaccination, 158, 159
 subclinical smallpox, 31, 40
- Haematological changes in smallpox, 46–47
see also Immunity after orthopoxvirus infection
- Haemorrhagic-type smallpox, antibody response, 157
 antigenaemia, 128

- Haemorrhagic-type smallpox (*cont.*)
 case-fatality rate, 5
 differential diagnosis, 62–63
 early, 4, 5, 32, 34, 35, 37
 haematological changes, 46
 haemorrhages, 34, 37
 late, 4, 32, 35, 37, 38
 pathology, 134, 138
 pregnant women, 37, 39, 54–55
 toxæmia, 33, 37
 vaccinated subjects, 43
 variola minor, 39
 viraemia, 44, 128
 Yugoslavia, 1092, 1094–1095
- Haiti, expenditure for smallpox eradication, 597
- Handbook for Smallpox Eradication Programmes in Endemic Areas*, 424, 425, 437, 473, 474, 484, 491, 493, 498, 517, 580, 861, 956, 1358
- Harvard School of Business Administration, 757
- Hawaii, smallpox, 242
 importations, 362–363
- Heat stability, freeze-dried vaccine, 286–288, 289, 540, 1267, 1269
 rapid test, 557–558
 standard assay, 290–291, 546–547
 lanolinated vaccine, 590
 liquid vaccine, 283
 silicone ointment vaccine, 590
 vaccinia virus, 115, 116, 180
 variola virus, 115–116, 180
- Helicopters, 466, 1021, 1022, 1023, 1027, 1028, 1029, 1030, 1031, 1051, 1046, 1247
- Herpesvirus, electron microscopy, 110, 111
 infections, recurrent infectivity, 117, 143, 190
see also Chickenpox
- Honduras, expenditure for smallpox eradication, 398, 597
 smallpox, elimination, 329, 333
 incidence, 1926–1958, 329
 vaccine supplied, 470
- Hookworm, attempted eradication, 373–374, 376
- Horn of Africa, certification, 1228–1248, 1249
 coordination meetings, 1229–1230, 1231
 importance in global campaign, 1230
 joint meeting of international commissions, 1247–1248
 laboratory specimens tested, 1248
 variola minor, influence on strategy, 1228–1229
see also Djibouti; Ethiopia; Kenya; Somalia
- Horsepox, 108, 109, 265
- Hospitals, airborne infection, 186, 192–193
 isolation of smallpox cases, 501–502, 832
 role in spread of smallpox, 192, 201–202, 607, 676, 703, 830, 987–988, 1076, 1077, 1078, 1079–1081, 1092
see also Smallpox hospitals
- Hottentots, 212, 234–235
- House guards, *see* Watchguards
- Humidity, effects on orthopoxvirus viability, 115–116, 180, 181, 192
see also Seasonal incidence
- Hungary, smallpox, deaths, 1900–1914, 321
 elimination, 319, 322
 incidence, 1921–1958, 319, 323
 vaccine donated, 464, 564
- Iceland, certificate of freedom from smallpox, 1130
 smallpox, epidemics, 213, 229, 231, 348
 elimination, 322
- Immune complexes in smallpox, 152, 155
- Immunity after orthopoxvirus infection, 146–161
 active, 154–155
 after smallpox, 147, 157–158
 after vaccination, 147–148, 158–160
 cell-mediated, 156–157, 159–161
 cells involved, 147, 148
 duration, 42, 44, 52–53, 148, 271–272, 311, 312–313
 humoral, 148–155
 passive, 152–154
 protective, 154
see also Orthopoxviruses; Protection; Vaccination
- Immunization, definition, 292
- Immunodeficiency, vaccination reactions, 141, 160, 161
- Immunofluorescence test, 95, 111, 149–150
 false-positives in Bangladesh, 842–843
- Immunological memory, 160–161
- Immunoprophylaxis, for vaccination of selected subjects, 308
 of smallpox, 65–66
- Immunotherapy for vaccination complications, 308–309
- Importations of smallpox, 1967–1977, 516, 517–537
 into industrialized countries, case studies, 1079–1081
 countries affected, 1070, 1074, 1081, 1082
 delays in notification, 1076
 index cases, nature, 1075–1076
 official responses, 1071–1073
 seasonal effects, 1076, 1078
 sources, 1072, 1073, 1074
 means of travel, 1074
 public concern, 1072, 1073, 1077–1078
 into non-endemic developing countries, 1082–1091
see also under names of individual countries
- Inca empire, 237, 238

- Incidence of smallpox, assessment, by pockmark survey, 173–174
 effect of improved surveillance, 174, 175
 cyclic fluctuations, 178–179, 218
 effect of vaccination, 175, 179, 189–190, 272, 273, 612
 reliability of statistical data, 173, 320, 475–477
 reported cases, comparison of 1967 and 1987 estimates for 1959–1966, 477
 1967–1977, by year, 517–538
 seasonal, 179–182
 underreporting, 173–175, 320, 496, 517, 688
see also Concealment of smallpox; Endemic countries; Reporting of smallpox cases; Suppression of reports, smallpox; *and under names of individual countries*
- Incubation period, monkeypox, 1306
 smallpox, 6, 41, 188, 422
 effect of vaccination during, 64–65
 infectivity during, 189
- India, bifurcated needle, 730–731, 769, 790
 buffalopox, 1312
 certification by international commission, 1150, 1179–1185, 1187–1188
 members of international commission, 1142, 1187
 national commission, 1185–1186
 planning workshop, 1180–1181
 chickenpox, 745, 746
 cholera, 713, 743, 752
 expenditure for smallpox eradication, WHO, 1959–1966, 398
 health services, 715, 750–751, 755, 773, 803, 804
 Intensified Programme, chronology of progress, 517–537
 containment, 775–777, 780, 782, 783, 786
 coordination meetings, 449, 656, 749–751, 752
 criticism at World Health Assembly, 753
 expenditure, 1965–1977, 737
 1974, 760, 762
 joint India-WHO assessment, 725–728
 “Operation—Smallpox Zero”, 783–788
 operational regions, 717
 operations, Bihar State, 1974, 765–768, 774–775
 southern India, 1967–1970, 732–734
 1971–1973, 744–747
 Uttar Pradesh, 1971–1973, 742–744
 western India, 1967–1970, 734–737
 1971–1973, 739–742, 747
 pending outbreaks, 777, 778
 progress, 1968–1970, 728–737
 1971–1973, 737–762
 1974, 762–783
 1975, 783–788, 1348
 reporting system, 735, 742–743, 751
 reward for reporting cases, 745, 779–780, 781, 784, 786, 788, 790, 1181, 1184
- India, Intensified Programme (*cont.*)
 rumour register (fever with rash), 786, 1182, 1184
 searches, 174, 503, 504, 505, 508, 754–755, 758–761, 765, 767, 770, 780, 784, 787, 790, 1180–1184
 smallpox recognition card, 758, 765, 784
 staff, 756–757, 764, 789
 training, 757
 support, Center for Disease Control, 769
 OXFAM, 464, 737, 775
 Swedish International Development Authority, 737, 768–769, 774
 Tata Industries, 464, 734, 737, 771, 774–775
 surveillance-containment, assessment, 1973–1975, 781
 attitudes towards, 744, 764
 emphasis on, 749–751
 intensification, 1974, 775–781
 Madras, 732–734
 manpower and costs of containment, 786
 southern states, 744–747
 western India, 735–737, 739–742
 vehicles, 757, 758, 769, 773, 786
 national smallpox eradication programme, 1962–1966, 718, 719–725
 assessment, 725–728
 pilot projects, 718, 719
 strategy, 719
 population, density, 713–714, 717
 movement, 715
 refugees, 750, 766, 782, 819
 Salt Lake refugee camp, 747, 820, 1116
 Śītalā mata, 217, 220, 715, 716, 740
 smallpox, ancient historical accounts, 211, 214
 among beggars, 777, 778, 799
 case-fatality rates, 176–178, 724, 791
 age-specific, 176, 791
 cost to the country, 1967, 1364
 elimination, 338, 788
 history, 1000–1900, 217–219
 importations, 754, 782, 786, 787
 incidence, age, 176, 727, 791
 cyclic fluctuations, 178, 218, 346, 736
 seasonal, 179–180, 181, 182, 217, 218, 733
 1887–1937, 717
 1920–1966, 346, 347
 1962–1975, 721, 724
 Jamshedpur outbreak, spread from, 203, 770–772
 laboratory specimens tested, 1121, 1184–1185
 last case, 788
 reporting system before 1967, 720, 722–723
 Salt Lake refugee camp, 747, 752, 820, 1116
 secondary attack rates, 200
 spread to other countries, Bangladesh, 747, 750, 1085
 Bhutan, 802, 1085, 1086

- India, smallpox, spread (*cont.*)
 Europe, 1072, 1073–1074
 Nepal, 754, 763, 792, 797–798
 United Arab Emirates, 1086
 underreporting, 174, 759–760
 vaccination, early history, 224, 346
 introduction, 213, 218, 715
 mass, 719–725, 764, 767
 neonatal, 720, 728
 opposition to, 715, 722, 782, 783
 rotary lancet, 723, 731
 scar survey, 728, 731–732
 1878–1937, 717
 1962–1976, 724
 by age group, 791
 vaccine, donated to WHO, 464, 564, 1268, 1269
 liquid, 724, 730
 production, 563, 564, 724, 729–730
 storage, 730, 1268
 supplied, 471, 719, 724, 729
 testing, 730
 variola virus, laboratory stocks, 1185, 1339
 variolation, 218, 245, 247, 253, 346, 1185
- Indian Council for Medical Research, 732
- Indochina, smallpox, elimination, 336–337
 history during 20th century, 345–346
 incidence, 1925–1966, 336–337
see also Democratic Kampuchea; Lao People's Democratic Republic; Viet Nam
- Indonesia, certification by international commission, 1111–1112, 1150, 1156–1161
 local declarations, 1159
 members of international commission, 1112, 1140–1141, 1160
 chickenpox surveillance, 1159
 demography, 631–632
 expenditure for smallpox eradication, 631, 638
 Intensified Programme, 635–657
 Bali, 636, 637, 639
 bifurcated needle, 636, 641, 646
 chronology of progress, 517–529
 initiation, 628–631, 635–638
 Java, 636–651
 jet injector, 637, 638, 641
 outer islands, 651–653
 reward for reporting cases, 654, 655, 1158
 searches, 646, 653, 1157–1158
 smallpox recognition card, 651
 surveillance-containment, 642, 643, 644, 645, 646, 649–651
 training seminars, 630, 631, 635–636, 656–657
 vaccinal immunity, sample cluster surveys, 629–630, 634
 smallpox, case-fatality rate, 177, 178, 655, 656, 657
 effect of population density, 206, 648, 653
 elimination, 1936, 336–337, 338, 344, 632
 1972, 338, 654–655, 657
- Indonesia, smallpox (*cont.*)
 history before 1900, 228
 importations, 632
 incidence, age, 634, 647, 655, 656
 by province, 1963–1972, 635
 Jakarta, 1963–1967, 629
 seasonal, 180, 181, 647
 1920–1966, 336–337, 633–644
 1967–1973, 647, 1157
 laboratory specimens tested, 655, 656, 1121, 1158, 1159
 last case, 657
 pockmark surveys, 630, 636, 1160
 re-establishment of endemicity, 344, 632
 extent of spread, 633
 social behaviour enhancing transmission, 196, 206, 647, 655
 suppression of reports, 654
 underreporting, 635, 636, 655
 vaccination, "backlog", 643, 644
 introduction, 213, 228
 mass, 206, 643, 648
 scar survey, 630, 634, 1160
 1963–1967, 634
 1968–1973, 641
 vaccine, air-dried (room-dried), 286, 344, 540, 633, 640
 liquid, 633
 production, 469, 563, 633, 637, 639, 640
 supplied, 471, 639
- Infectious ectromelia, *see* Mousepox
- Infectivity of smallpox, *see* Epidemiology of smallpox; Variola virus, infection with
- Inner Mongolia, *see* China
- Inoculation, definition, 217
- Inoculation hospitals, 255, 276
- Inoculation smallpox, 40–42, 123, 165, 187
 clinical features, 40–41, 249–251
 incubation period, 41, 188
 pathogenesis, 125
see also Variolation
- Institute of Biological Research, Porto Alegre, 603, 623
- Institute of Epidemiology and Microbiology, Prague, 406
- Institute of Immunology and Virology, Belgrade, 1092
- Instituto de Investigação, Maputo, 976
- Insufflation, 40, 246, 247, 252–253, 268
- Intensified Smallpox Eradication Programme, 1967–1980, antecedent events, 388–418, 850, 1345–1346, 1349
 chronology of progress, 517–538
 coordination meetings between countries, 436, 448–449

- Intensified Smallpox Eradication Programme (*cont.*)
 financial aspects, 459–467, 1358–1361
 bilateral assistance, 413, 459, 463, 464, 466–467, 1358, 1366
 expenditure, actual, 462, 463, 466, 467, 1366
 estimated, 413, 459–463
 local costs, 459, 859, 908, 1360–1361
 transfers of funds within WHO, 414, 461–462, 760, 762
 United Nations system contributions, 459, 460, 463, 464, 465, 466, 467, 1358, 1366
 voluntary contributions, 413, 418, 459, 463, 464, 465–467, 1360, 1366
 WHO regular budget, 393, 409–410, 414–417, 459, 460–463, 1350, 1366
 expenditure by WHO region, 1967–1979, 463
 government agreement and commitment, 444–449, 1359
 management, 429–438, 443–444, 484–485, 1355–1362
 publicity, 449–459
 reporting, cases, 447–448, 449, 474–478, 494–498
 outbreaks, 503, 513–514
 research, 478–482, 1362
 staff, 417–418, 422–423, 431–434, 437–438, 443–444, 1350–1351, 1355–1358
 strategy, 410–414, 424–425, 482–515, 1361–1362
 supplies and logistics, 432, 438, 461, 463, 466, 467–473, 483, 485–486, 1360–1361
 surveillance-containment, 410–411, 424–425, 473–478, 493–515
see also Certification of eradication; Costs; Global smallpox eradication programme, 1959–1966; Mass vaccination campaigns; Special Account for Smallpox Eradication; Surveillance-containment strategy; Vaccination; Vaccine; Voluntary Fund for Health Promotion; World Health Assembly, 1966; and under names of individual countries
- Interferon, 165
- International Association of Biological Standardization, 581
- International certificate of vaccination against smallpox, 278, 312–314, 1071, 1075, 1266–1267
- International commissions for the certification of smallpox eradication, 1107, 1123–1126
 membership, 1126, 1140–1146
 operation, 1126–1127, 1150, 1196, 1197
 selection of members, 1111, 1112, 1126
- International Committee of the Red Cross, 883, 1225, 1236
- International Committee on Quarantine, 312, 313
- International Health Regulations, 278, 432, 592, 970, 981, 982, 1151, 1266, 1356
- International Laboratory for Biological Standards, Copenhagen, 556
- International Sanitary Convention, 312, 475
- International Sanitary Regulations, 312, 313, 393, 403
- International Symposium on Smallpox Vaccine, 1328
- Iran, Islamic Republic of, certification by Global Commission, 1197, 1221–1222
 chickenpox surveillance, 1221–1222
 contributions for smallpox eradication, 464, 466
 smallpox, chronology of eradication, 524–529
 elimination, 1963, 349, 350, 397
 1972, 349, 1090
 importations, 1086, 1089
 incidence, 1929–1963, 348, 350
 1970–1972, 1088–1089, 1218, 1222
 laboratory specimens tested, 1121, 1222
 pockmark survey, 1221
 re-establishment of endemicity, 1087–1090
 mass vaccination, 1089–1090
 suppression of reports, 1087, 1088
 spread to other countries, 1089, 1090
 vaccine, donated to WHO, 464, 564, 693, 1268, 1269
 production, 564
 supplied, 471, 1090
- Iraq, certification by international commission, 1197, 1222–1223
 members of international commission, 1144
 smallpox, chronology of eradication, 526–529
 elimination, 1959, 349, 350, 397
 1972, 349, 1090
 importation, 1090
 mass vaccination, 1090
 suppression of reports, 1090
 incidence, 1921–1963, 350
 1971–1972, 1090, 1218
 laboratory specimens tested, 1121, 1223
 pockmark surveys, 1223
 spread to other countries, 1074, 1089, 1090, 1091
 vaccine supplied, 471, 1090
- Ireland, smallpox, elimination, 322, 324
- Ishinbo*, 213, 226, 228, 247, 276
- Islamic expansion in Africa, spread of smallpox, 215, 216, 218, 233, 234
- Islands, survival of smallpox in, 170, 348
- Isolation of smallpox patients, during Intensified Programme, 185, 501–502, 512–513, 832, 1058
 during 19th century, 274–276
 history, 247
 variolated subjects, 256, 274, 275
- Isolation of virus, monkeypox, cultured cells, 1288
 primates, 1288, 1289
 humans, 1293, 1294
 squirrel, 1309, 1310
 variola, animal sources, 96
 case contacts, 128–129
 media, 83, 113–114

Isolation of virus, variola (*cont.*)

- oropharyngeal secretions, 29–30, 128, 183–184
- skin lesions, 184–185
- smallpox patients, 45
- tear fluid, 30, 45
- urine, 184, 186
- variola sine eruptione, 29–30
- “whitepox”, animal sources, 1328, 1329
- cultured cells, 1327–1328
- monkeypox virus stocks, 1330–1332

Israel, smallpox, elimination, 349

Italy, smallpox, deaths, 1900–1919, 321

- during First World War, 321
- elimination, 318, 322
- importation, 324
- incidence, 1920–1958, 318, 323
- laboratory specimens tested, 1121

Ivory Coast, *see* Côte d'Ivoire

Japan, contributions for smallpox eradication, 464, 466, 1010

- smallpox, after Second World War, 344
- case-fatality rates, 343
- elimination, 336–337, 338
- hero associated with, 219, 221
- history, 585–1900, 213, 216, 226–227
- importations, 1070, 1081–1082
- incidence, 1920–1966, 336–337
 - and deaths, 1892–1915, 343
- mortality in villages, 227
- vaccination, 213, 227, 343
- vaccine production, 343
- variolation, 213, 226, 253

Japan Shipbuilding Industry Foundation, contributions to WHO for smallpox eradication, 464, 465, 466, 468

Jenner, Edward, concept of arm-to-arm vaccination, 260–261, 265

- critics, 264
- discovery of vaccination, 213, 247, 258
- portrait, 251
 - on postage stamps, 454, 455, 456, 457
- prediction of eradication, 259
- The Origin of the Vaccine Inoculation*, 258–261
- translations of *Inquiry*, 247, 262
- variolation of, 255
- views on revaccination, 148, 271

Jenner Museum, 261

Jet injector, advantages, 577

- BCG vaccination, 490, 918
- development for smallpox vaccination, 406, 576
- disadvantages, 579
- field test in Amapá, 577, 601–603
- history, 574, 576
- maintenance, 579, 641, 906

Jet injector (*cont.*)

- mode of use, 575
- scars after use, 578
- use, Brazil, 573–574, 603
 - Indonesia, 637, 638, 641
- Intensified Programme, 472
- western Africa, 577, 578, 856, 861, 864, 871, 872, 873, 880, 894
- Zaire, 578, 917–918
- vaccine, 576, 578–579, 861–862

Jordan, smallpox, elimination, 349

- vaccine donated, 400, 401, 464, 542, 564

Kaffir-pox, *see* Amaas

Kenya, certification, by international commission, 1133, 1241–1243, 1247

- members of international commission, 1146
- contributions for smallpox eradication, 401
- expenditure for smallpox eradication, 950

Intensified Programme, 954–956

- agreement with government, 949–950
- chronology of progress, 518–523
- resources employed, 955, 968
- reward for reporting cases, 966
- surveillance, 965

smallpox, case-fatality rates, 948, 949

- effect of famine, 358
- elimination, 354, 963, 964
- history before 1900, 233, 234, 235
- importations, 965–967, 1084
- incidence, 1920–1966, 357
 - 1965–1977, 947

laboratory specimens tested, 1120, 1243

tanapox, 1318

vaccination, BCG, 946, 955

smallpox, 948, 954–956

scar survey, 1243

vaccine, donated, 464, 564, 951

production, freeze-dried, 358–359, 469, 562,

563–564, 951

liquid, 563, 947, 951

variola, major, 358, 359, 946

minor, 359, 946

Kiwani International, 465

Ko Hung, description of smallpox, 213, 216

Korea, smallpox, elimination, 336–337, 338

- history before 1900, 213, 225–226
- incidence, 1920–1966, 336–337, 344

Kuwait, certification by Global Commission, 1197, 1220–1221

- contributions for smallpox eradication, 401, 464
- smallpox, hospital outbreak, 201–202
- importation, 1086
- laboratory specimens tested, 1121
- vaccine supplied, 471

- Laboratories, association with outbreaks, Birmingham, 1095, 1097–1100, 1321, 1335
 Liverpool, 1095
 London, 1095–1096, 1335
 variola minor, 1098, 1100
 maximum containment, 1335, 1336, 1337, 1342
 inspections by WHO, 1274, 1276, 1277
 safety regulations, 1096, 1334–1337, 1338
 retaining variola virus stocks, 1273–1277, 1334–1341, 1342
 reduction in numbers, 1274–1277, 1338–1341
 role in spread of smallpox, 193, 198–199, 1095–1100
- Laboratory contamination, 1327, 1328, 1329, 1330, 1344
- Laboratory infection, 1334, 1335, 1340
- Laboratory specimens tested by WHO collaborating centres, 113–114, 435, 1118, 1120–1121, 1122, 1281
 collection of specimens, 110, 434, 435, 1215
see also under names of individual countries
- Laboratory stocks of variola virus, 1273–1277, 1334–1341
 after 1980, 1274–1277, 1340–1341
 China, 1260, 1340
 South Africa, 1206, 1275
 USA, 1276, 1340–1341
 held for other countries and institutions, 1276
 USSR, 1275–1276, 1340–1341
 changing attitudes, 1334–1335
 destruction, 1339–1341
 justification for retention, 1337–1338
 reduction in laboratories holding, 1274–1276, 1338–1341
 safety regulations, 1334–1337, 1338
- Lao People's Democratic Republic, certification by Global Commission, 1197, 1224–1225
 smallpox, 345–346
 elimination, 338, 346
 vaccine supplied, 471
- Lasker Special Award for Public Service, 1347
- Lassa fever, 1113, 1278, 1279
- Laundry workers, smallpox, 189, 194
- League of Nations Health Organisation, 170
- League of Red Cross and Red Crescent Societies, 416, 465, 1053
- Lebanon, smallpox, elimination, 349
 laboratory specimens tested, 1121
 vaccine supplied, 471
- Leicester method for smallpox control, 247, 275, 367
- "Lenny" virus, 105
- Leprosy patients, smallpox vaccination, 308
- Lesotho, certification by international commission, 1197, 1202–1205
- Lesotho, certification . . . (*cont.*)
 members of international commission, 1144–1145, 1204
 chickenpox surveillance, 1203
 smallpox, elimination, 359
 incidence before 1967, 983
 laboratory specimens tested, 1120, 1203
 pockmark surveys, 1203, 1204
 vaccination, BCG, 983
 smallpox, 983
 vaccine supplied, 470, 983
- Liberia, certification by international commission, 1150, 1166–1168
 pockmark surveys, 1165
 expenditure for smallpox eradication, 398
 human monkeypox, 903, 1293, 1294, 1296
 laboratory specimens tested, 1120
 smallpox, chronology of eradication, 518–521
 control, Brother's Brother operations, 903
 elimination, 354, 903
 incidence, 1934–1966, 355
 1961–1968, 901
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 spread to other countries, 1074
 vaccination, 881
 vaccine supplied, 470
- Libyan Arab Jamahiriya (Libya), smallpox, elimination, 349, 352
 incidence, 1924–1964, 351, 352
- Lions Club International, 465, 771
- Lister Institute, United Kingdom, 287, 288, 289, 550, 1267
- London, Bills of Mortality, 213, 230
 Small-Pox and Inoculation Hospital, 213, 226, 247, 255, 275, 276
- London School of Tropical Medicine and Hygiene, laboratory-associated smallpox, 1095–1096, 1335
- Luxembourg, smallpox, 321
 contributions for smallpox eradication, 464
- Lymphadenopathy, human monkeypox, 1297, 1298, 1299
- Madagascar, certification by Global Commission, 1197, 1211–1212
 reported deaths from chickenpox, 1211, 1212
 visit by consultant, 1212
 smallpox, elimination, 348, 359, 361
 incidence, before First World War, 361
 1921–1966, 360
 vaccine, donated, 401, 542
 production, 361

- Madras, Infectious Diseases Hospital, 4, 139, 185, 186, 192, 201, 732
 neonatal vaccination, 728
 smallpox, clinical studies, 5
 cyclic fluctuations in incidence, 178
 hospital infection, 192
 seasonal incidence, 179, 181
 secondary attack rates, 200
 surveillance and containment, 732–734
 virological studies, 183–186
- Malaria, control, 380, 385
 eradication, Americas, 379, 380–381
 differences from smallpox eradication, 410
 funding and expenditure, 382–384, 466
 global programme, 380–386, 418
 influence, on concept of smallpox certification, 1107
 on smallpox eradication efforts, 386, 427, 444, 1358, 1366
 relations with smallpox programme, 998, 1006, 1007, 1008, 1010, 1015, 1021, 1172–1173
 research, 385–386
 see also Anopheles gambiae
- Malaria Eradication Special Account, WHO, 381, 382, 383
- Malawi, certification by international commission, 1197, 1200–1202
 chickenpox surveillance, 1200
 members of international commission, 1143, 1202
 expenditure for smallpox eradication, 977
 Intensified Programme, 976–980
 refugees, 978
 smallpox, case-fatality rate, 975
 chronology of eradication, 518–527
 continued transmission, 978–979, 1200–1201
 elimination, 359, 980
 incidence, age, 980
 1923–1966, 359, 360, 975
 1967–1974, 978, 1198
 laboratory specimens tested, 1120, 1200, 1201
 pockmark survey, 1200, 1201
 vaccination, BCG, 976
 smallpox, 976, 977, 978
 vaccine supplied, 470, 976
 variolation, 978
 kit, 980
 volunteers, Peace Corps, 976
- Malaysia, smallpox, elimination, 336–337, 338, 397
 incidence, 1920–1966, 336–337, 345
 laboratory specimens tested, 1121
 spread to other countries, 1074
- Maldives, vaccine supplied, 471
- Malta, smallpox, 321
- Mali, certification by international commission, 1150, 1166–1168
 expenditure for smallpox eradication, 398
- Mali (*cont.*)
 population density, 894
 smallpox, elimination, 354, 895
 eradication programme combined with measles control, 893–895
 chronology of progress, 518–523
 importations, 1084
 incidence, 1961–1970, 852
 1962–1969, 893
 1966–1971, 1163
 laboratory specimens tested, 1120
 pockmark surveys, 1165
 spread, in schools, 202
 to other countries, 895
 vaccination, measles, 892, 893
 smallpox, opposition to, 894
 1962–1969, 893, 894, 895
 1967–1972, 881
 yellow fever, 893
 vaccine supplied, 470
 variolation, 895
- Malnutrition, effect on measles, 196, 854
 effect on smallpox, 164, 196
- Maoris, susceptibility to variola minor, 195, 362
- Mass media, for publicizing smallpox eradication, 449–452
- Mass vaccination campaigns, 394–395, 404, 424, 484–493, 596, 598, 687
 acceptance, 483, 489
 administration, 484
 after importations, Europe, 1071–1072, 1093
 south-western Asia, 1089, 1090, 1091
 assembly point vaccination, 487–488, 617, 853, 890, 894, 949
 assessment, 424, 491–493
 effectiveness, 484
 failure, 197, 206, 643, 648, 720, 725
 house-to-house vaccination, 488–490
 legislation, 493
 maintenance programmes, 490–491
 multiple antigens, 311–312, 489–490
 objectives, 484
 staff, 485
 success, 490, 905, 967
 tally sheet, 488, 489, 961
 training, 485, 905
 vaccinators, 485
 work schedules, 487
 see also under names of individual countries
- Mastomys natalensis*, “whitepox” virus, 1328, 1329
- Masūrikā*, 211, 212, 213
- Mauritania, certification by international commission, 1150, 1166–1168
 pockmark surveys, 1165
 smallpox, elimination, 354, 396, 906
 eradication programme combined with measles control, 905–906

- Mauritania, smallpox (*cont.*)
 incidence, 1961–1967, 904
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 vaccination, BCG, 906
 measles, 905, 906
 smallpox, 881, 904, 906
 vaccine supplied, 470, 904
- Mauritius, vaccine supplied, 470
- Mazezuru, opposition to vaccination, 196, 993, 994
- Measles, control programme in western and central Africa, 850, 853–855, 875
 cyclic fluctuations in incidence, 179
 differentiation from smallpox, 59, 61, 213, 214, 217, 229
 early infectivity, 200
 effect of malnutrition, 196, 854
 effect of population density on spread, 196–197
 eradication, 1367–1368
 Fiji, 242
 seasonal incidence, 179
 secondary attack rate, 200
 severity in African children, 853
 vaccination, combined with smallpox vaccination, 311, 407–408, 856–858
 trials, 407, 853–854
 vaccine, strains, 853, 862
see also under names of individual countries
- Mecca, pilgrimage, 353, 354, 931, 999, 1003, 1053, 1243
 surveillance, 1229, 1243, 1244–1245
 “plague”, 213, 214
 smallpox, 202, 348
- Medals commemorating smallpox eradication, 452, 458
- Meningococcal septicaemia, in differential diagnosis of smallpox, 60, 63
- Meschede Hospital, airborne smallpox, 192–193, 1072, 1073, 1078
- Methodology of Freeze-dried Smallpox Vaccine Production*, 551–554, 563
see also Vaccine producers
- Metisazone treatment, smallpox, 66–67
 vaccinal complications, 302, 309
- Mexico, contributions for smallpox eradication, 400, 401, 542
 expenditure for smallpox eradication, 597
 smallpox, elimination, 328, 333
 history before 1900, 212, 221, 236–237
 incidence, 1922–1952, 328, 333
 variola minor, 333
 variolation, 237, 256
 yellow fever eradication, 376
- Michigan State Health Department Laboratory, 286, 287, 391
- Microbiological Research Establishment, Porton Down, *see* Centre for Applied Microbiology and Research
- Milker's nodules, 108, 260, 1300, 1317
- MK-10-73 virus, 105
- Molluscum contagiosum, 1288, 1317–1318
- Monaco, vaccine donated, 401, 464, 564
- Modified-type smallpox, 4, 5, 22, 26, 27, 28
- Mongolia, vaccine supplied, 471
- Monkeypox, human, 1277–1280, 1287, 1292–1308, 1311, 1333
 case-fatality rate, 1302
 clinical features, 1297–1299, 1302–1303
 differentiation from smallpox, 56, 1297
 lymphadenopathy, 1297, 1298, 1299
 rash, 1297, 1298, 1299
 discovery, 923–925, 1292–1294
 enanthem, 1297
 epidemiology, 1280, 1303–1308
 geographic distribution, 1296
 incidence, age, 1302, 1303–1304
 central and western Africa, 1970–1984, 903, 1295, 1296, 1297
 seasonal, 1304
 Zaire, 1970–1984, 1278
 laboratory diagnosis, 1297, 1302
 person-to-person spread, 1305–1306
 pockmarks, 1297, 1298
 prevalence, 1306–1308
 review of status, 1280
 sequelae, 1297
 subclinical, 1302–1303, 1307, 1308
 surveillance, health-institution-based, 1277–1280, 1295, 1311
 transmission from wildlife, 1304–1305, 1310
 research, field, organization, 1277–1280, 1295
 western Africa, 1280, 1306–1307
 Zaire, 1295–1311
 laboratory, organization, 1293–1295
 simian, captive primates, 1288–1289, 1308, 1325
 clinical features, 1289–1290
 pathogenesis, 126–127
 serology, 1292, 1308–1310
 wild primates, 1303, 1308–1310
- Monkeypox virus, 74, 118–119, 1290–1292, 1325–1326
 biological characteristics, 84, 87
 contaminant of cell culture, 1288
 differentiation from variola virus, 83, 113
 DNA, 94, 1290–1291, 1330–1332
 ecology, 1280, 1299, 1308–1310
 host range, 73, 1288, 1289, 1290
 isolation from squirrel, 1309, 1310
 persistence in animals, 145–146
 pocks on chorioallantoic membrane, 84, 1292
 specific antibodies, 114, 1282–1283, 1292

- Monkeypox virus (*cont.*)
 "white clones", 1326, 1330–1331, 1344
 white pock mutants, 92, 1291–1292, 1326, 1330–1332
- Monkeys, *see* Primates
- Morbidity from smallpox, 20th century, 170–182
- Morocco, contributions for smallpox eradication, 401
 smallpox, elimination, 349, 352
 incidence, 1920–1964, 351, 352
 variola minor, 351
- Mortality from smallpox, in absence of vaccination and variolation, 227
 London, 1629–1900, 230
see also Case-fatality rate
- Mortuary attendants, smallpox, 194
- Moscow Research Institute for Viral Preparations, USSR, 550, 551
 isolation of monkeypox virus from man, 1294
 maximum containment laboratory, 1342
 variola virus stocks, 1275, 1276, 1340, 1341
 "white clones" from monkeypox virus stocks, 1276, 1327, 1330–1332
 "whitepox" viruses from animals, 1276, 1327, 1328, 1329–1330, 1333
see also WHO collaborating centre, Moscow
- Mousepox, 74–75
 immune response, 153
 passive immunity, 152–153
 pathogenesis, 124–126
see also Ectromelia virus
- Mozambique, certification by international commission, 1197, 1200–1202
 chickenpox surveillance, 1200
 members of international commission, 1143, 1202
 civil war, 970, 975
 relations with WHO, 969–970
 smallpox, case-fatality rate, 975
 elimination, 359, 977–978
 incidence, age, 981
 1927–1966, 359, 360, 975
 1967–1974, 978, 1198
 laboratory specimens tested, 1120, 1200, 1201
 pockmark survey, 1200, 1201
 vaccination, BCG, 976
 smallpox, 976
 vaccine, production, 359, 564, 976
 supplied, 470
 variola, major, 359, 975
 minor, 359, 975
- Multimammate rat, *see* *Mastomys natalensis*
- Mummies, Egyptian, suspected smallpox, 210–211, 212
 Italian, suspected variola virus, 1275
- Myxoma virus, changes in virulence, 102
 genetic resistance to, 165, 195
- Namibia, certification by Global Commission, 1197, 1207–1208
 chickenpox surveillance, 1205, 1208
 visit by consultant, 1205, 1207
 smallpox, elimination, 359
 pockmark survey, 1208
- National Health Laboratory, Paris, 1270
- National Institute for the Control of Pharmaceutical and Biological Products, Beijing, variola virus stocks, 1260, 1276, 1340
- National Institute of Communicable Diseases, New Delhi, 720, 730, 731, 755, 1272
- National Institute of Health, Tokyo, 479, 1270, 1276
- National Institute of Public Health, Bilthoven, 479, 547, 548, 550, 730, 1267, 1270
 isolation of virus, monkeypox, 1288
 "whitepox", 1326–1329
 variola virus stocks, 1274, 1276
see also WHO International Reference Centre for Smallpox Vaccine
- National Institute of Virology, Sandringham, South Africa, 987, 990, 1206, 1276
 variola virus stocks, 1206, 1275
- National smallpox eradication programmes, strategies and tactics, 394–395, 482–516
 mass vaccination, 483, 484–493
 surveillance-containment, 483, 493–515
see also under names of individual countries
- Neem tree, 680, 740
- Nepal, certification by international commission, 1150, 1186, 1188
 members of international commission, 1142
 communications, 792–794
 contributions for smallpox eradication, 401
 expenditure for smallpox eradication, WHO, 1959–1966, 398
 all sources, 1962–1976, 795, 801
 Intensified Programme, 795–801
 chronology of progress, 518–535
 cross-notification with India, 798
 reward for reporting cases, 800
 population density, 792–794
 Śītālā mata, 793, 798
 smallpox, elimination, 338, 792
 importations, 754, 763, 797, 798
 incidence, age, 799
 1963–1975, 796
 1967–1976, 1179
 laboratory specimens tested, 1121
 pilot control programme, 794
 pockmark survey, 792

- Nepal (*cont.*)
 Tibetan refugees, 799
 pockmark survey, 1186, 1250
 vaccination, 800
 1962–1976, 795
 vaccine supplied, 471
 variola, 792–793
- Netherlands, contributions for smallpox eradication,
 400, 464, 466, 1026, 1028, 1053
 smallpox, deaths, 1900–1919, 321
 elimination, 318, 322
 importations, 324
 incidence, 1920–1958, 318, 323
 vaccine donated, 401, 464, 542, 564, 724, 1053,
 1268, 1269
- Netherlands East Indies, *see* Indonesia
- Neutralization test, 78, 150
 persistence of antibodies, smallpox, 45, 157, 158
 revaccination with smallpox vaccine, 158, 159
 vaccination with inactivated vaccine, 162–163
 vaccination with smallpox vaccine, 158, 159
 relation to protection, 154, 163
see also “Anti-comet” test
- New York City Department of Health, 287
- New Zealand, smallpox, 241–242, 362
 quarantine, 171, 241
 vaccine, donated, 464, 564, 639
 production, 588
 variola minor, 195, 361, 362
- Nicaragua, smallpox, elimination, 329, 333
 incidence, 1937–1958, 329
- Niger, certification by international commission,
 1150, 1166–1168
 pockmark surveys, 1165
 nomads, 896, 897
 smallpox, elimination, 354, 897
 eradication programme combined with measles
 control, 896–897
 chronology of progress, 518–523
 importations, 1084
 incidence, 1961–1970, 852
 1962–1969, 893
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 spread to other countries, 1084
 vaccination, measles, 896
 smallpox, 1962–1969, 893, 896–897
 1967–1972, 881
 vaccine supplied, 470
 variola, 897
- Nigeria, certification by international commission,
 1150, 1166–1168
 civil war, 863, 882, 883, 884
 contributions for smallpox eradication, 464
 coordination conference, 449, 875–878
 human monkeypox, 1293, 1294, 1296
 importance for western African programme, 858
- Nigeria (*cont.*)
 measles, 883
 population density, 197, 880
 smallpox, case-fatality rate, 882
 concealment of cases, 196, 206, 886
 efficiency of reporting, 174, 885
 elimination, 354, 886–887
 eradication programme combined with measles
 control, 883–887
 chronology of progress, 518–525
 “eradication-escalation”, 878, 885
 maintenance of equipment and vehicles, 884
 mass vaccination, 883–885
 surveillance-containment, 495, 885, 887
 incidence, age, 884
 seasonal, 882
 1921–1966, 355
 1961–1970, 852
 laboratory specimens tested, 883, 1120, 1166
 pockmark surveys, 882, 1165
 secondary attack rate, 200
 spread to other countries, 1083, 1084
 vaccination, measles, 883
 smallpox, 881, 883, 884, 885
 vaccine, lanolinated, 882, 885
 production, 469, 562, 859–860, 882, 885
 supplied, 470
- Nomads, persistence of smallpox, 205, 481, 1057,
 1060
 role in transmission, 673, 681, 895, 897, 931, 1029,
 1038–1041, 1172
 surveillance-containment, 504–505, 677–678, 680,
 1027, 1028, 1057–1058, 1060–1062, 1238
 vaccination, 473, 668, 679, 896, 928, 1042–1043,
 1056–1058
- Non-endemic countries, criteria for defining,
 1070–1071
 importations, 1073–1095
 re-establishment of endemic smallpox, 520–521,
 524–529, 1070, 1083, 1084, 1087
see also Endemic countries; *and under names of*
individual countries
- North Africa, smallpox, history before 1900, 213,
 215, 216, 218, 233, 234
 incidence, 1900–1958, 350–351
 1920–1964, 352
see also under names of individual countries
- North America, quarantine, 238, 239, 274
 smallpox, history before 1900, 238–240
 incidence, 1920–1952, 328
 vaccination, introduction, 240, 262
 variola, 240, 256–257
see also Canada; Mexico; United States of America
- Northern Rhodesia, *see* Zambia
- Norway, contributions for smallpox eradication, 463,
 464, 466, 815, 1053
 smallpox, 327

- Norway, smallpox (*cont.*)
 deaths, 1900–1919, 321
 elimination, 322
 importation, 1074, 1079–1081
- Norwegian Save the Children Foundation, 1028
- Nurses, smallpox, 196, 202, 1076, 1077, 1079
- OCCGE, *see* Organisation de Coordination et de Coopération pour la Lutte contre les Grandes Endémies en Afrique de l'Ouest
- OCEAC, *see* Organisation de Coordination pour la Lutte contre les Endémies en Afrique centrale
- Oceania, smallpox, during 20th century, 361–363
 history, 1789–1900, 240–242
see also under names of individual countries
- Office of the United Nations Disaster Relief Coordinator (UNDRO), 463, 464, 466, 1053
- Oman, certification by Global Commission, 1197, 1220–1221
 smallpox, elimination, 349, 397
 laboratory specimens tested, 1121, 1220
 vaccine supplied, 471
- Omolu/Obaluaye, 219, 223
- Operations officers, 861, 920, 929, 940, 973, 990, 1218, 1351
- Orang-utan, smallpox, 1324
- Ordinary-type smallpox, 4, 5–25, 41
 discrete, 8–18, 23, 24, 440, 442
 confluent, 25
- Orf, 1300, 1317
- Organisation de Coordination et de Coopération pour la Lutte contre les Grandes Endémies en Afrique de l'Ouest (OCCGE), 854, 857, 858, 876, 1163–1164
see also Benin; Burkina Faso; Côte d'Ivoire; Guinea; Mali; Mauritania; Niger; Senegal
- Organisation de Coordination pour la Lutte contre les Endémies en Afrique centrale (OCEAC), 857, 865, 876
 incidence of smallpox, 1961–1969, 907
 member countries, 906
 mobile teams, 906
see also Cameroon, Central African Republic, Chad, Congo, Gabon
- Oropharyngeal secretions, shedding of variola virus in, 183–186
- Orthopoxviruses, antibodies, 148–155
 genus-specific, 73, 77–79
 subfamily-specific, 76–77
 tests, 149–152
 virus-specific, 114, 1282–1283, 1292
 antigens, 76–79, 95
 biological characteristics, 81–87
 ceiling temperature, 82–83, 87
- Orthopoxviruses (*cont.*)
 differences between species, 87, 94, 95, 113
 DNA, 90–92
 cloning, 107
 mutation, 92
 recombination, 92
 restriction endonuclease mapping, 73, 80, 81, 90–92, 94, 103, 107, 1282, 1290–1291, 1314, 1330–1332
 structure, 79–80
 growth, cultured cells, 83, 86, 89, 92
 chorioallantoic membrane, 82, 83, 84
 haemagglutinin, 78–79
 inclusion bodies, 85, 86, 87, 89, 92, 93, 133
 lesions in rabbit skin, 81, 82, 84, 87
 morphology 71–72, 75–76, 77
 non-genetic reactivation, 80
 persistence in animals, 144–146
 pocks on chorioallantoic membrane, 82, 83, 84, 87, 1294
 replication, 86, 88–89, 90, 91
 research, after 1980, 1282–1283
 during Intensified Programme, 482, 1292–1295
 species, 73–75
 thymidine kinase sensitivity to TTP, 87, 99
see also “Anti-comet” test; Complement-fixation test; ELISA; Gel-precipitation test; Haemagglutination-inhibition test; Immunofluorescence test; Neutralization test; Radioimmunoassay; *and under individual viruses*
- Osteomyelitis, vaccinal, 302
- Oswaldo Cruz Institute, Rio de Janeiro, 601, 603, 623, 624
- Ottoman Empire, smallpox, 348
 variolation, 253
- OXFAM, 443, 464, 466, 737, 775, 835, 837, 1053
- Pakistan, certification by international commission, 1150, 1175–1179
 members of international commission, 1141
 chickenpox reporting, 1176–1177
 cholera vaccination, 699
 East, 685, 687, 691, 692, 694, *see also* Bangladesh
 expenditure for smallpox eradication, 1959–1966, 398
 1967–1978, 691
- Intensified Programme, 686–709
 Azad Kashmir, 707–708
 Baluchistan Province, 701–704
 chronology of progress, 518–533
 coordination and training meetings, 449, 705, 749
 Gilgit, 707–708
 initiation, 686–688
 mass vaccination, 687–688, 690–692, 706, 709
 North-west Frontier Province, 695–698
 Punjab Province, 694–695, 698–701

- Pakistan, Intensified Programme (*cont.*)
 searches, 503, 504, 700, 1175–1176
 Sind Province, 704–707
 surveillance-containment, 687–688, 689, 695, 700–701, 702, 706, 709
 Medical Research Centre, 479, 481, 687, 688, 812
 political changes, 685, 692, 693, 694
 provincial administrations, 685, 692–693
 smallpox, case-fatality rate, 178
 age-specific, 688, 704, 707
 elimination, 338, 697, 701, 703, 706, 707, 708
 epidemiological research, 204–205, 687–690
 hospital as source, 703
 incidence, age, 688, 689, 699, 704, 707
 seasonal, 689
 1947–1966, 346, 347, 685–686
 1967–1975, 694
 1970–1975, 1175
 laboratory specimens tested, 1121, 1176
 pockmark survey, 708, 1178
 reward for reporting cases, 697, 701, 706, 1176
 secondary attack rates, 200, 205
 spread to other countries, 1074, 1086
 vaccination, 686, 687
 scar survey, 692, 1178
 vaccine, production, 346, 468, 469, 564, 686, 691, 693
 supplied, 471, 691, 693
 variolation, 346, 685, 686, 703, 708, 709, 1177, 1178
- Palestine, smallpox, 348
- Pan American Health Organization (PAHO), 594
 criteria for certification of *Aedes aegypti* eradication, 1104
 resolution, *Aedes aegypti* eradication, 379
 malaria eradication, 380–381
 poliomyelitis eradication, 387, 1368
 smallpox eradication in Americas, 388, 389–391, 419, 593, 594, 596–597, 601
 expenditure, 1953–1966, 391, 395, 398
 vaccine development, 286, 391, 467
 WHO Regional Office for the Americas, 389–390
see also Regional offices of WHO
- Pan American Sanitary Organization, *see* Pan American Health Organization
- Panama, smallpox, elimination, 329, 333
 incidence, 1920–1958, 327, 329
 yellow fever eradication, 375
- Papua New Guinea, molluscum contagiosum, 1318
 smallpox, 242
- Paraguay, certification by international commission, 1150, 1154
 expenditure for smallpox eradication, 597
 smallpox, elimination, 333, 397, 595
 importations, 594, 1085
 incidence, 1927–1958, 334
 1959–1971, 594
- Paraguay (*cont.*)
 vaccination, 598–599
 scar survey, 598–599, 1154
- Parapoxvirus*, 73, 108, 1317
 infections, 1300, 1316–1317
- “Parcs vaccinogènes”, 281
- Pasteur Institute, Bandung, 287
- Pathogenesis of smallpox, 166–168
 immune response, 157
 portals of entry of virus, 123–124
 rash, 129–130
 spread of infection in body, 124, 127–129
 toxæmia, 130–131, 155
- Pathology of smallpox, internal organs, 139–140
 mucosal lesions, 138–139
 skin lesions, 131–138
- Paul’s test, 74
- Peace Corps, *see* Volunteers
- Ped-o-Jet, *see* Jet injector
- Persistence, variola virus in humans, 144
 viruses, in animals, 143–146
 in human populations, 117–118
see also Variola virus, persistence
- Peru, certification by international commission, 1150, 1154–1155
 expenditure for smallpox eradication, 597
 smallpox, elimination, 333, 334, 595
 importations, 1085
 incidence, 1927–1958, 334
 1959–1971, 594, 595
 introduction, 212
 re-establishment of endemicity, 1085
 vaccination, 597, 598, 599, 600
 scar survey, 1155
 vaccine, donated, 464, 564
 production, 622–623
 variola, major, 333
 minor, 1085
 variolation, 264
 yellow fever eradication, 376
- Phenol, in vaccine, 283, 288, 553
 effects on bacterial count, 283, 553
- Philippines, smallpox, effect of population density, 197
 elimination, 336–337, 338
 history before 1900, 213, 227–228
 incidence, 1900–1949, 344–345
 1925–1966, 336–337
 vaccine donated, 401, 464, 542, 564
 variola minor, 345
- Plague, 229, 1109, 1367
- “Plagues”, Antonine, 213, 215
 of Athens, 213, 214–215
 of Hittites, 210, 213, 214

- Pockmark surveys, during Intensified Programme, 508
 for calculation of reporting efficiency, 173–174
 precertification, 1113, 1117–1118
see also under names of individual countries
- Pockmarks, human monkeypox, 1297, 1298
 variola major, 49, 50, 57, 657, 1116, 1117
 pathogenesis, 135, 137, 138
 variola minor, 49, 138
- Pocks on chorioallantoic membrane, 82–83, 84, 87, 92, 96, 100, 104, 107, 108, 109, 110, 111–112, 113, 114, 1291–1292, 1294, 1319, 1326, 1328, 1330–1332
- Poland, smallpox, elimination, 319, 322
 imports, 1073, 1074, 1075
 incidence, 1920–1958, 319, 323
 vaccine donated, 464
- Poliomyelitis, 143, 387, 1366, 1388
- Population estimates, sources used, 320
- Population size, viral persistence, 117
 effectiveness of mass vaccination, 197, 648
 origins of smallpox, 117–119
- Portugal, smallpox, deaths, 1900–1919, 321
 elimination, 318, 322
 imports, 324
 incidence, 1900–1958, 318, 321, 323, 327
- Poxviruses, arthropod transmission, 183
 causing diseases of man, 1288
 classification, 72–73
 nomenclature, 1291
 nucleic acid, 72
 virulence, 102
see also Orthopoxviruses
- Pre-eruptive stage of smallpox, 5–6, 38–39
- Pregnancy, contraindication to vaccination, 308
 susceptibility to smallpox, 54–55, 196
- Primates, non-human, monkeypox, 480, 1288–1290, 1303, 1308–1310, 1325
 smallpox, 127, 479, 1323–1325
 “whitepox” viruses, 1328, 1329–1330
- Prodromal rash, smallpox, 6, 7
- Prophylaxis, *see* Chemoprophylaxis; Immunoprophylaxis
- Protection against orthopoxvirus infections, 146–148
 heterologous, 147–148
 homologous, after smallpox, 147
 after vaccination, 146–147
see also Vaccination, efficacy
- Pseudocowpox, 1288, 1300, 1316
- Publicity and public information, Intensified Programme, 449–459, 652, 1105, 1106, 1134, 1249, 1347
 postage stamps, 452, 454–457, 565, 1347
- Publicity and public information (*cont.*)
 promoting vaccination, 439, 566, 601, 790, 959, 1050
 reward for reporting smallpox cases, 439, 505, 507, 784, 790, 1050, 1122–1123, 1124, 1125, 1184
- Punta del Este Charter, 601
- Quality control of vaccine, *see* Vaccine, quality control
- Quarantine against smallpox, 238, 247, 273–274, 361
 Australia and New Zealand, 171, 241
 North America, 238–239, 257, 274
see also International certificate of vaccination against smallpox; International Committee on Quarantine
- Qatar, certification by Global Commission, 1220–1221
 laboratory specimens tested, 1121, 1220
 smallpox, elimination, 397
- Rabbitpox, passive immunity, 154, 163
 pathogenesis, 126
 pockless, 126
 virus, 105, 107
- Raccoonpox virus, 75, 87, 94, 1282
- Radioimmunoassay, 150
- Rash, human monkeypox, 1297, 1298, 1299
 simian monkeypox, 1289, 1290
 variola major, 8–18, 19–22, 23–26, 31–34, 33–35
 histopathology, 21, 131–138
 inclusion bodies, 85, 133, 134
 variola minor, 36, 38–39, 1014
- “Red” treatment of smallpox, 213, 226, 228
- References centres, *see* WHO collaborating centre, Atlanta, Moscow; WHO International Reference Centre for Smallpox Vaccine; WHO Regional Reference Centre for Smallpox Vaccine in the Region of the Americas
- Refugees and displaced persons, global numbers, 1972 and 1982, 1132
 spread of smallpox, 203, 486
 Djibouti, 486, 1243
 Ethiopia, 1020
 India-Bangladesh, 747, 750, 766, 782, 799, 818–822, 1116
 Malawi, 978
 Nigeria, 883
 Somalia, 1040–1041, 1061, 1233
 Sudan, 930, 931
- Regional offices of WHO, 414, 417, 434–436, 1356
 Africa, 418, 435, 445–446, 461, 857, 874, 875, 915, 917, 948, 952, 989, 990, 1163, 1169, 1198, 1199, 1200, 1202, 1210, 1229, 1248, 1277, 1295

- Regional offices of WHO (*cont.*)
- Americas, 389–390, 418, 435, 444, 461, 547, 594, 628
 - Eastern Mediterranean, 418, 435, 444, 446, 461, 568, 628, 814, 933, 948, 990, 1001, 1008, 1047, 1050, 1248
 - Europe, 1092
 - South-East Asia, 418, 435, 444–445, 461, 472, 628, 629, 663, 714, 726, 734–735, 737, 738, 751, 762, 764, 777, 1206, 1268
 - Western Pacific, 468, 1225, 1251
- see also* Pan American Health Organization; World Health Organization
- Reporting of smallpox cases, international, 170, 475–478
- national, 171–175, 474–475, 493
 - nil reports, 495
 - precertification assessment, 1115
 - by pockmark survey, 173–174
 - problems with variola minor, 496
 - surveillance reports, 447–448, 477–478, 607, 614, 625, 900
 - weekly reports, 649–650, 742–743, 751, 830, 1139–1140
- see also* Concealment of smallpox; Incidence of smallpox; Suppression of reports, smallpox; and *under names of individual countries*
- Republic of Korea, *see* Korea
- Research, Intensified Programme, 478–482, 1292–1295, 1351, 1362
- attitude of administrators, 414, 478, 1350
 - epidemiological, 197, 203–206, 480–481, 494, 688–689
 - need for, 414, 1351
 - post-eradication, 1282–1283
- Research Institute of Immunology, Prague, 550
- Resistance to smallpox, genetic, 165–166, 195
- immunological, 146–148, 271–273
 - non-specific, 163–165
- Retrovaccination, 264, 265, 282
- Revaccination, 213, 231, 232, 271, 272, 273
- antibodies after, 158, 159
 - complications, 304, 305
 - reactions, 295–296, 297
- Reward, for reporting chickenpox, 1176
- for reporting monkeypox, 1279
 - for reporting smallpox, 504, 505, 506, 508–509, 1122–1123
 - effect on concealment of cases, 196, 1123
 - first use, 654
 - offered by WHO, 538, 1122, 1123, 1124, 1125, 1271
 - precertification, 1216, 1237, 1238, 1240, 1241
 - publicity, 439, 505, 508, 784, 790, 1050, 1122–1123, 1124, 1125, 1184
- see also under names of individual countries*
- Rockefeller Foundation, 373, 374–376, 377, 378, 1322
- Romania, smallpox, deaths, 1900–1914, 319, 321
- elimination, 322
 - incidence, 1920–1958, 319
- Rotarians, 465, 771
- Rotary lancet, 292–293, 294, 722, 723, 771
- scars from, 790–791
 - vaccination take rates, compared with bifurcated needle, 571, 572, 731
- Royal Society, Jenner's *Inquiry*, 264
- reports on variolation, 247, 253, 254, 255
- Ruanda-Urundi, smallpox incidence, 1925–1966, 354–355, 356
- see also* Burundi; Rwanda
- Rumour register, 509, 1118, 1119, 1152–1153, 1180–1181, 1182
- international, 1116, 1271–1273
 - introduction, 786
- see also under names of individual countries*
- Russia, smallpox, 321, 323, 326
- deaths, 1900–1919, 321
 - history before 1900, 213, 229, 230, 231
 - variolation, 247, 256
- see also* Union of Soviet Socialist Republics
- Rwanda, certification by international commission, 1150, 1168–1170
- expenditure for smallpox eradication, 950
- Intensified Programme, 959–961
- agreement of government, 949–950
 - chronology of eradication, 518–525
 - resources employed, 955, 961, 968
- smallpox, elimination, 354, 964
- importations, 952, 964
 - incidence, age, 964
 - 1965–1972, 1168
 - 1965–1977, 947
 - laboratory specimens tested, 1120, 1170
 - pockmark surveys, 1169
 - spread to other countries, 1084
 - surveillance, 960, 963
- vaccination, BCG, 946, 960
- smallpox, 948, 949, 959–961
- vaccine, liquid, 947, 959
- production, 562, 952
 - supplied, 470, 951
- St Mary's Hospital Medical School, London, 479, 1096
- variola virus stocks, 1276
- Salt Lake refugee camp (Calcutta), 747, 820, 1116
- spread of smallpox by refugees, 750, 752, 820
- Sample survey, for assessment of vaccinia immunity, 492, 629–630, 634, 731–732, 873–874
- Sao Tome and Principe, vaccine supplied, 470

- Saudi Arabia, certification by Global Commission, 1220–1221
 contributions to WHO for smallpox eradication, 464
 expenditure for smallpox eradication, 398
 smallpox, elimination, 349, 350, 397
 importations, 1086
 incidence, 1927–1963, 350
 laboratory specimens tested, 1121
 vaccine supplied, 471
- Scabs of smallpox, 135
 shedding virus, 184–185
- Scar, vaccination, 294, 578
 variolation, 1174
- Scar surveys, *see* Sample survey; Vaccination, scar;
and under names of individual countries
- Schools, spread of smallpox, 202
- Scout movement, 465
- Searches for suspected cases, Intensified Programme, 498, 503–509
 precertification, 1115–1117
see also under names of individual countries
- Seasonal incidence, chickenpox, 179, 1206
 human monkeypox, 1304
 smallpox, 179–182
 description by al-Razi, 214
 importations into Europe, 1076, 1078
 relation to eradication, 182
see also under names of individual countries
- Second attacks of smallpox, 149
- Secondary attack rates, human monkeypox, 1305
 smallpox, chickenpox, measles, 199–200
see also under names of individual countries
- Seminars, smallpox, 448–449, 629, 631, 630, 635–636, 652, 656–657, 705, 725, 748–751, 816, 875, 876, 1019
 monkeypox and viral haemorrhagic fevers, 1279
 orthopoxvirus research, 1282
 precertification, 1180–1181
 vaccine production, 549–551
- Senegal, certification by international commission, 1162–1168
 smallpox, elimination, 354, 396
 eradication programme combined with measles control, 904
 incidence, 1961–1967, 904
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120
 pockmark survey, 1165
 vaccination, 881, 904
 vaccine supplied, 904
- Sequelae of smallpox, blindness, 50, 57, 196, 219, 225, 226
 limb deformities, 48, 50
- Sequelae of smallpox (*cont.*)
 pockmarks, 49–50, 57, 657, 1117
see also Pockmark surveys
- Serological responses in smallpox, 45–46, 157, 158
- Shedding of variola virus, oropharyngeal secretions, 183–184, 185–186
 scabs, 184–185
 urine, 186
- Siam, *see* Thailand
- Sierra Leone, certification by international commission, 1162–1168
 human monkeypox, 1293, 1294, 1296
 prevalence survey, 1306–1307
 smallpox, associated with funeral ceremonies, 900
 bulletin, 900
 case-fatality rate, 901
 elimination, 354, 900
 eradication programme combined with measles control, 899–901
 chronology of progress, 518–523
 incidence, age, 901
 1920–1966, 355
 1961–1970, 852
 1966–1971, 1163
 laboratory specimens tested, 1120, 1166
 pockmark survey, 1165
 vaccination, 881, 899–900
 vaccines, 898
 supplied, 470
- Sikkim, smallpox, 801–802
 vaccination, 801
- Singapore, smallpox before 1900, 228
- Śītālā mata, 217, 219, 220, 715, 716, 740, 793, 798
- Slaves, smallpox, 233, 234, 235, 236, 238, 240
 variolation, 256
- Smallpox Eradication unit, WHO, 429, 431–434, 445–446, 540, 543, 544, 590, 610, 782, 915, 937, 957, 990, 1044, 1045, 1050, 1073, 1090, 1097, 1098, 1107, 1110, 1111, 1112, 1113, 1127, 1140, 1157, 1163, 1169, 1196, 1198, 1199, 1202, 1210, 1220, 1222, 1225, 1250, 1251, 1265, 1271, 1294, 1322, 1325, 1335, 1339, 1341, 1356, 1360
 communication with field staff, 438
 professional staff, 431, 1284–1285
- Small-Pox and Inoculation Hospital, London, 213, 226, 247, 255, 275, 276
- Smallpox hospitals, 226, 247, 275–276, 832, 1072, 1078
 variola virus in air, 186, 192–193
- Smallpox recognition card, 442, 499, 500, 501, 504, 510, 511
 introduction, 651
see also under names of individual countries
- “Smallpox-handler’s lung”, 30, 185

- Social factors affecting smallpox, 181–182, 196, 206, 647, 655
- Somalia, certification by international commission, 1133, 1237–1241, 1247, 1061–1062
 members of international commission, 1146, 1247
 demography, 1038–1040, 1054
 expenditure for smallpox eradication, 1042
 guerrilla activities in Ethiopia, 1038, 1040, 1054, 1061, 1232, 1233
 health services, 1041
 Intensified Programme, 1042–1067
 chronology of progress, 536–537
 containment, 1044–1045, 1047–1050, 1057, 1058, 1059
 coordination meetings, 1051, 1062
 emergency programme, 1038, 1053–1058, 1065, 1067
 field staff, 1052
 political problems, 1046–1047, 1049
 reporting system, 1239–1240
 reward for reporting cases, 1050
 searches, 503, 504–505, 508, 1048–1050, 1052, 1055–1056, 1065, 1238, 1239–1241
 surveillance, across border, 1061
 nomads, 1057, 1060–1062
 vehicle maintenance, 1054, 1055
 nomads, 1038–1041, 1238
 poor vaccination coverage, 1042–1043
 prolonged transmission among, 205, 1057, 1060
 refugee camps, 1040, 1061
 smallpox, case-fatality rate, 178, 1041, 1064
 age-specific, 177
 concealment of cases, 1046, 1047, 1048, 1052, 1058, 1064
 effects of drought and war, 1040–1041, 1047
 elimination, 354, 396, 1062–1063, 1066
 importations, 358, 1043–1044, 1084
 incidence, age, 1064
 1928–1966, 357
 1962–1978, 1041
 1977, 1052, 1059, 1058–1060
 laboratory specimens tested, 1120, 1240, 1241
 last case, 1062–1063, 1066, 1249
 Mogadishu outbreak, 1049
 re-establishment of endemicity, 1045–1046, 1051, 1083
 train of transmission, 1049
 vaccination, BCG, 1043
 smallpox, before 1967, 1041
 1969–1978, 1043
 vaccine supplied, 470, 1042
 variola minor, 1056
 variolation, 1042
 volunteers, Peace Corps, 1042
- Sopona, 219, 223, 856, 887
- South Africa, certification by Global Commission, 1205–1207
- South Africa (*cont.*)
 chickenpox surveillance, 1206, 1207
 relations with WHO, 971, 982, 984, 985, 986–987
 smallpox, case-fatality rate, 361, 982
 elimination, 1956, 359, 360
 1971, 359, 982
 history before 1900, 212, 233–235, 360
 importations, 1084
 hospital-based outbreak, 987–988
 incidence, 1920–1966, 360
 1951–1972, 982
 1967–1974, 984, 986, 1198
 laboratory specimens tested, by national
 laboratory, 987, 988, 1205–1206
 method of reporting, 987, 1206
 by WHO, 1207, 1120
 pockmark surveys, 1206–1207
 re-establishment of endemicity, 396
 report by Director-General of WHO, 985
 spread to other countries, 986, 1084
 vaccination, BCG, 983, 1206
 poliomyelitis, 983, 1206
 smallpox, 360, 361, 985, 986, 988
 vaccine production, freeze-dried, 564, 985, 1206
 liquid, 983, 985
 variola, major, 361, 982
 minor, 212, 361, 982, 985
 virus stocks, 1206, 1275, 1340–1341
- South America, certification by international
 commission, 1110–1111, 1151–1156
 members of international commission, 1111, 1140
 Intensified Programme, 593–625
 chronology of progress, 518–527
 expenditure on smallpox eradication, 597
 smallpox, elimination, 596
 god associated with, 219, 223
 history, 1520–1900, 236–238
 1900–1958, 333–335
 importations, 1085, 1101
 incidence, 1920–1958, 334
 1959–1971, 594–596
 1966–1972, 1151
 laboratory specimens tested, 1155–1156
 vaccination, 599
 introduction, 237
 vaccine production, 622–623, 625, 1156
 variola, major, 236–238, 333, 595
 minor, 335, 595
 variolation, 237, 256
see also under names of individual countries
- Southern Africa, certification, 1198–1199
 relation of countries with WHO, 969–970
 smallpox, endemic countries, 1967, 970
 history, before 1900, 233–235
 1900–1966, 359–361
 incidence, 1920–1966, 360
 1967–1974, 1198
 probable extent of endemic smallpox, 1967, 971

- Southern Africa, smallpox (*cont.*)
 surveillance-containment, 972
 variola, major, 972
 minor, 972
see also under names of individual countries
- Southern Rhodesia, *see* Zimbabwe
- South-western Asia, certification, 1217–1218
 smallpox, before 1000, 214
 importations, 1086–1091
 incidence, 1920–1963, 348, 350
 1000–1900, 225
 variolation, 225, 253
see also under names of individual countries
- Spain, smallpox, deaths, 1900–1919, 321
 effect of civil war, 323
 elimination, 318, 322
 importation, 1074
 incidence, 1920–1958, 318, 323, 327
 variolation, 256
 variola, major, 327
 minor, 327
- Special Account for Smallpox Eradication, WHO,
 367, 461–462
 donations, 1958–1966, 400, 401, 402
 1967–1979, 463, 464, 465–467, 469–472
- Spread of smallpox, demographic factors, 196–198
 economic and political factors, 198
 Europe, to Africa, 233–235
 to the Americas, 236–238
 fomites, 194, 202, 234, 1058, 1343
 funerals, 194, 202, 900
 hospitals, 192–193, 201–202
 markets, fairs and religious festivals, 202, 715, 780,
 813
 occupational risk, 189, 194, 196, 202, 1076, 1077
 public transport, 702, 772, 819, 1091
 refugees and displaced persons, 203, 486, 939
 schools, 202
 social factors, 196, 206, 647, 655
 susceptible populations, 197–198
 travellers, 202–203, 809, 1073–1075, 1079–1082
 world, 212–213, 232, 234, 242–243
see also Contact infection; Hospitals; Nomads;
 Refugees; *and under names of individual countries*
- Squirrels, monkeypox virus infection, 1280, 1304,
 1309, 1310
 “whitepox” virus, 1328, 1329
- Sri Lanka (Ceylon), smallpox, before 1900, 218
 during Second World War, 348
 elimination, 338, 347
 importations, 348, 1085
 incidence, 1920–1966, 347
 laboratory specimens tested, 1121
 vaccination, introduction, 218
 vaccine supplied, 471
- Standardization of vaccine, *see* Vaccine, quality
 control
- State Serum Institute, Copenhagen, discovery of
 simian monkeypox, 1288, 1289
 international reference preparation of smallpox
 vaccine, 556
 testing of smallpox vaccine, 287, 555
- State Serum Institute, Vienna, 286
- Statistical data, *see* Incidence of smallpox
- Subclinical infection, human monkeypox,
 1302–1303, 1307, 1308
 smallpox, 30–31, 175
- Sudan, certification by international commission,
 1197, 1214–1217
 members of international commission, 1144
 chickenpox surveillance, 1215
 civil war, 931, 939
 expenditure for smallpox eradication, 1959–1966,
 398
 1967–1976, 933
 health establishments, 937, 938
 Intensified Programme, 938–942
 across-border searches, 941
 agreement with government, 912
 chronology of progress, 519–529
 nomads, 928, 931
 population movements, 930–931
 refugees, 931, 939
 smallpox, case-fatality rates, 931, 932
 elimination, 1962, 354, 356, 396, 930
 1972, 940
 importations, 933, 1084
 incidence, age, 936, 941
 1925–1966, 353–354, 356
 1966–1973, 932, 940
 laboratory specimens tested, 1120, 1215
 Mecca pilgrims, 353, 354, 930, 931, 1214
 pockmark surveys, 1215, 1216
 re-establishment of endemicity, 930, 933,
 1083
 spread to other countries, 939, 1084
 surveillance-containment, 937, 938–940, 942,
 1215–1216
 vaccination, BCG, 912, 930, 934–935
 smallpox, by resistance movement, 938
 house-to-house, 935
 interruption for cholera vaccination, 936
 opposition to, 939
 1962–1964, 932
 1968–1975, 934–935, 937
 1975–1976, 941
 variola, major, 931
 minor, 931
- Suppression of reports, cholera, 477, 1087
 smallpox, 477, 517, 654, 742, 1044–1047, 1058,
 1064, 1086, 1087, 1088, 1090, 1123
see also Concealment of smallpox
- Suriname, smallpox, elimination, 333, 595
 vaccination, 598, 599

- Surveillance, 493–498, 503–509, 620
 field investigation of reported cases, 497, 511, 611
 health-institution-based, 1277, 1279–1280
 house-to-house searches, 498, 504, 506
 markets, 502, 780
 nomads, 504–505, 1057, 1060–1062
 reports, 447–448
 routine notification of cases, 494, 495–497
 schoolchildren, 497
see also under names of individual countries
- Surveillance-containment strategy, 197, 493–515
 acceptance, 425, 483, 494–495
 after importations into industrialized countries, 1072, 1079–1081
 concept, 474
 dissemination of data, 477–478
 in plan for Intensified Programme, 410–411
 Leicester system, 367
 standards and assessment, 473, 506–507, 513–515, 1354–1355
see also under names of individual countries
- Susceptibility to smallpox, 165–166, 194–198
 age, 54, 176–177, 195–196
 Amerindians, 195, 197–198, 236–240
 Maoris, 195
 pregnancy, 54–55, 196
 relation to ABO blood groups, 166
 vaccination, 52–54
- Susliks, cowpox virus, 1313, 1314, 1315
- Suspected smallpox, post-eradication, guidelines for management, 1271
 investigation, 1270–1273
see also Rumour register
- Suśruta Samhita*, 213, 214
- Swaziland, certification by international commission, 1197, 1202–1205
 members of international commission, 1144–1145, 1204
 chickenpox surveillance, 1203
 smallpox, elimination, 359, 517
 incidence, 1967–1974, 1198
 laboratory specimens tested, 1120, 1203
 pockmark surveys, 1203, 1204
 vaccination, BCG, 983
 smallpox, 983
 vaccine supplied, 470
- Sweden, contributions for smallpox eradication, 443, 463, 464, 466, 815, 835, 1053
 smallpox, deaths, 1900–1919, 321
 effect of vaccination, 231, 272
 elimination, 322
 history before 1900, 231
 importation, 327, 1074
 vaccinal complications, 310, 1072
 incidence, 1900–1962, 323, 327
 vaccine, donated, 464, 564, 1268
 production, 588
- Swedish International Development Authority (SIDA), 737, 768–769, 774
- Swedish Save the Children Foundation, 1001, 1002
- Swiss Serum Institute, 1267
- Switzerland, contributions for smallpox eradication, 464, 466
 smallpox, deaths, 1900–1919, 321
 during First World War, 322
 elimination, 318, 322
 importation, 1074
 incidence, 1920–1958, 318
 laboratory specimens tested, 1121
 vaccine, donated, 401, 464, 542, 564, 724
 low bacterial content, 578
 variola, major, 316
 minor, 316
- Syphilis, 59, 60, 229
 differential diagnosis of smallpox, 61
 vaccinal, 264–265
- Syrian Arab Republic, certification by international commission, 1197, 1223–1224
 members of international commission, 1144
 smallpox, elimination, 349, 350
 importation, 1090–1091
 incidence, 1923–1963, 350
 1971, 1090, 1218, 1223
 laboratory specimens tested, 1121
 pockmark surveys, 1223–1224
 vaccine supplied, 471
- Taiwan, *see* China (Province of Taiwan)
- Tanapox, clinical features, 1288, 1301, 1318
 epidemiology, 1319
 in differential diagnosis of smallpox, 61
 virus, 926, 929, 1318, 1319
- Tanganyika, *see* United Republic of Tanzania
- Tanzania, *see* United Republic of Tanzania
- Tata Industries, contributions for smallpox eradication, 464, 466, 734, 737, 771, 774–775
- Taterapox virus, 73, 75, 84, 87, 94, 104, 1282, 1319
- Thailand, certification by Global Commission, 1197, 1225–1226
 coordination meeting, 448, 449, 629
 smallpox, elimination, 336–337, 338, 397
 history before 1900, 213, 224
 incidence, 1900–1966, 336–337, 345
 vaccination, introduction, 213, 224–225
 vaccine donated, 401, 464, 542, 564
- Thiosemicarbazones, 66–67
- Tibet, *see* China
- Tissue culture, cellular changes after infection, 89, 92
 for laboratory diagnosis of smallpox, 112, 113

- Togo, certification by international commission, 1151, 1162–1166
féticheurs, 887, 888, 890
 smallpox, case-fatality rate, 177
 elimination, 354, 890, 891
 eradication programme combined with measles control, 889–892
 chronology of progress, 518–523
 incidence, age, 892
 early 20th century, 351
 1925–1966, 355
 1961–1970, 852
 1962–1969, 888
 1966–1971, 1163
 laboratory specimens tested, 1120
 pockmark survey, 1165
 spread to other countries, 1084
 vaccination, 881, 889, 891
 opposition to, 889, 890, 891, 892
 vaccine supplied, 470
 variolation, 887–888, 892
- Tonsillitis, postvaccinal, 300
- T'ou-Shen Niang Niang, 219, 222, 225
- Toxaemia in smallpox, 130–131
- Training courses, 437, 448, 485, 503–504, 1358
 Bangladesh, 826–827
 Brazil, 610–611
 Centers for Disease Control, 437, 485, 757, 875
 India, 757
 vaccine production, 396
 western and central Africa, 862–863, 871
 materials for, 439–441, 863, 896
- Transmission of smallpox, *see* Spread of smallpox
- Travel, international, restrictions due to smallpox, 312–314, 1071, 1072, 1075, 1078, 1266–1267
 role in spread of smallpox, 232–242, 1072, 1074, 1081–1087, 1088–1089, 1091–1092
- Treatment, complications of vaccination, 308–309
 smallpox, 64–68, 226, 228
- Tunisia, smallpox, elimination, 349, 352
 incidence, 1923–1964, 352
 vaccine supplied, 470
 variolation, 351
- Turkey, smallpox, elimination, 349, 350
 incidence, 1920–1963, 323, 328, 348, 350
 variolation, 247, 253, 254
- Uasin Gishu disease virus, 75, 87
- Uganda, certification by international commission, 1197, 1213–1214
 members of international commission, 1144
 chickenpox surveillance, 1213
 contributions for smallpox eradication, 401, 464
 expenditure for smallpox eradication, 950
- Uganda (*cont.*)
 Intensified Programme, 956–957
 agreement with government, 949–950
 chronology of progress, 518–521
 resources employed, 955
 smallpox, case-fatality rate, 178, 948, 949
 elimination, 354, 963
 history before 1900, 235
 importations, 964–965, 1084
 incidence, 1921–1966, 356
 1965–1977, 947
 laboratory specimens tested, 1120, 1214
 pockmark surveys, 1213, 1214
 surveillance, 965
 vaccination, 947, 948, 949–950
 vaccine, liquid, 947, 956
 supplied, 470, 951
 variola, major, 948
 minor, 356, 946
- Underreporting of smallpox, 170, 173–175, 320, 496, 517, 688
see also Concealment of smallpox; Suppression of reports, smallpox; *and under names of individual countries*
- UNDRO, *see* Office of the United Nations Disaster Relief Coordinator
- Union of Soviet Socialist Republics, contribution to WHO budget, 1967, 415
 dracunculiasis, elimination, 366
 initiative for global smallpox eradication programme, 366–367, 386, 393, 419
 smallpox, elimination, 319, 322, 366
 importations, 326, 366, 1073, 1074
 incidence, seasonal, 180
 1920–1958, 319, 323, 326
 vaccine donated, 367, 393, 398, 400, 401, 413, 459–460, 464, 465, 468, 469, 542, 564, 639, 663, 666, 691, 719 724, 730, 973, 1026, 1268, 1269
 low bacterial content, 578
see also Moscow Research Institute of Viral Preparations
- United Arab Emirates, certification by Global Commission, 1197, 1220–1221
 smallpox, importations, 1086
 laboratory specimens tested, 1121
 vaccine supplied, 471
- United Kingdom of Great Britain and Northern Ireland, contribution to WHO budget, 1967, 415
 contributions for smallpox eradication, 464, 466, 815, 835, 1053
 England and Wales, smallpox, deaths, 1900–1919, 321
 incidence, 1911–1958, 324, 325, 326
 Scotland, smallpox, deaths, 1900–1919, 321
 smallpox, during 18th century, 231

- United Kingdom ..., smallpox (*cont.*)
 elimination, 318, 322
 importations, 324, 325, 326, 1072, 1074, 1079, 1080
 incidence, 1920-1958, 318
 laboratory-associated cases, 1095-1100
 vaccination, compulsory, opposition, 232, 269, 270
 routine, annual cost, 415
 vaccine donated, 401, 542 564, 724
 variola, major, 324, 325
 minor, 322, 324-326
 variolation, 231, 247, 253-256
- United Nations Children's Fund (UNICEF), attitude to eradication programmes, 381, 385, 386, 400, 409, 465
 Child Survival and Development Revolution, 1353
 contributions for smallpox eradication, 416, 464, 730, 737, 815
 vaccine production equipment, 395, 398, 400, 465, 564, 639, 719, 951
 vaccination, BCG, 490, 915, 920
 smallpox, 971, 976, 983, 1003
 vehicles, 461
- United Nations Development Programme (UNDP), 416, 425, 464, 465-466, 1047, 1053
- United Nations Emergency Operation, Dacca (UNEO), 463, 464
- United Nations Relief Operation, Dacca (UNROD), 464, 815, 822, 832
- United Republic of Tanzania, certification by international commission, 1197, 1200-1202
 members of international commission, 1143, 1202
 chickenpox surveillance, 1200, 1201
 expenditure for smallpox eradication, 950
 Intensified Programme, 957-959
 agreement with government, 949-950
 chronology of progress, 518-525
 resources employed, 955, 968
 smallpox, case-fatality rate, 178, 949
 elimination, 354, 963
 importations, 952, 953
 incidence, 1920-1966, 357
 1965-1977, 947, 978
 laboratory specimens tested, 1120, 1200, 1201
 pockmark survey, 1200, 1201
 spread to other countries, 1074
 vaccination, BCG, 946, 958
 smallpox, 1965-1966, 957
 1967-1973, 948, 958-959
 vaccine, liquid, 947
 supplied, 470, 951
- United States Agency for International Development (AID), donations to global malaria eradication programme, 385
 measles vaccination programme in Upper Volta, 407, 854
- United States Agency for International Development (*cont.*)
 smallpox eradication and measles control programme in western and central Africa, 407-408, 849, 854-860
 support for Indian national smallpox eradication programme, 1962-1966, 719
- United States Army Medical Research Institute for Infectious Diseases, 1276
- United States of America, commitment to global smallpox eradication, 407-408
 contribution to WHO budget, 1967, 415
 contributions for smallpox eradication, 393, 459, 464, 466, 620, 719, 737, 622, 1010, 1026, 1028
 eradication of exotic animal diseases, 371, 372
 routine vaccination, annual cost, 415
 smallpox, case-fatality rate, 330
 cost to the country, 1968, 1365
 elimination, 328, 332
 effect of vaccination laws, 331, 332
 incidence, 1900-1952, 328, 330
 vaccine, donated, 464, 564, 1268
 production, 562
 variola, major, 328-330
 minor, 328-330, 331
see also Centers for Disease Control
- United States National Institutes of Health, measles vaccine trial in Upper Volta, 854
 support for epidemiological research in Pakistan, 687
- University of Birmingham, Department of Medical Microbiology, 482, 1099
 laboratory-associated outbreaks of smallpox, 1095, 1097-1100, 1321, 1335
 variola virus stocks, 1276
- University of Maryland School of Medicine, Baltimore, 479, 481
- Upper Volta, *see* Burkina Faso
- Uruguay, certification by international commission, 1150, 1155
 expenditure for smallpox eradication, 597
 smallpox, elimination, 333, 334, 595
 importations, 594, 599, 1085
 incidence, 1921-1958, 334
 1959-1971, 594, 602
 vaccination, 599, 600
 scar survey, 1155
- Vaccination, 258-273, 277-314, 539-592
 age for, 293-294, 481, 580, 720, 728
 antibody persistence, 158, 159
 arm-to-arm, 231, 237, 247, 260-261, 263, 264-265, 266, 268, 281
 clinical course, 41, 140-141, 294-295, 297

Vaccination (*cont.*)

- complications, 141–143, 296–311, 473
- frequency, 302–307
- prevention and treatment, 308–309
- types, 298, 299–302
- compulsory, 213, 232, 247, 267, 269, 270, 271–272, 332
- contraindications, 307–308, 573, 720
- coverage, theoretical requirements, 197, 403, 404, 596–597, 724, 1108, 1354
- definition and usage, 217, 258, 264, 292
- effects on, case-fatality rates in smallpox, 5, 176
 - clinical smallpox, 42–44, 52–53, 63
 - incidence of smallpox, 175, 179, 272, 273, 612
 - infectivity of smallpox cases, 189–190, 689
 - life expectancy, 262
 - secondary attack rate, 200
- efficacy, 271–273, 590–592, 688, 813
 - after exposure, 64–65, 295, 541
 - duration, 42, 44, 52–53, 148, 271–272, 311, 312–313
 - test by variolation, 260, 262
 - variola minor, 612
- history, 213, 247, 231, 258–273
- immune response, 295
- multiple antigens, 311–312, 489–490
- opposition, 196, 267, 269, 270, 331, 333, 489
- policy, 311, 312–314
 - post-eradication, 540, 1264–1267
- procedures used during Intensified Programme, 472–473
- reactions, 249, 250, 251, 294–295, 297
- risks, 161–162, 309–311
- scar, evidence of vaccination, 5, 294
 - surveys, 634, 669–670, 731–732, 873–874
- smallpox-immune subjects, 51–52
- techniques, bifurcated needle, 568–572
 - jet injector, 406, 576
 - multiple pressure, 292, 293, 568
 - multiple puncture, 568–571
 - rotary lancet, 292–293, 294, 723
 - scarification, 292
 - skin preparation, 580
 - skin site, 291–292
- see also* BCG vaccination; Bifurcated needle; Encephalitis; Encephalopathy; International certificate of vaccination against smallpox; Jenner; Jet injector; Mass vaccination campaigns; Measles, vaccination; Revaccination; Surveillance-containment strategy; Vaccinia; Vaccinia virus; Yellow fever vaccination; *and under names of individual countries*

Vaccine, air-dried, 283, 286

- apparatus, 285, 640
- francophone Africa, 286
- Indonesia, 286, 344, 540, 633
- assay of potency, 282, 289, 290, 291, 558–559

Vaccine (*cont.*)

- contamination, 263–265, 266, 547, 578, 579, 861–862
 - effect of phenol, 287, 553
- distribution, by WHO, 472, 564, 567
 - in field, 485–486
- donations to WHO, 1958–1966, 367, 401
 - 1967–1984, 464, 469–472, 542, 564, 1359
- egg, 279, 551–552, 561–562, 577, 583, 585, 586, 588, 623
- freeze-dried, 286–289, 540, 594
 - apparatus, 284, 285, 554
 - containers, 567
 - development, 288, 391
 - doses per container, 287, 546, 553, 624, 1353, 1359–1360
 - fluid for reconstitution, 553–554
 - heat stability, 286–288, 289, 540, 1267, 1269
 - rapid test, 557–558
 - standard assay, 290–291, 546–547
 - moisture content, 559
 - peptone, 288
 - phenol, 287, 288, 553
 - reference preparations, 555–556, 582
- genetic heterogeneity, 106–107
- humanized, 264, 267
- inactivated, 162–163, 587–588
- jet injector, 576, 578–579, 861–862
- lanolinated, 590, 882, 885, 898, 902
- liquid glycerolated, 247, 282–283, 286
 - distribution methods, 263, 267, 283
 - heat stability, 283, 540
 - phenol, 283
- lymph, 264–265, 279
- origins, 260, 263–264, 265, 582
- pathogenicity, 306–307, 581, 583
- pledged and supplied, 1963, 402
- pulp, 279
- quality control, before 1967, 289–291, 368, 369, 400, 402, 543
 - international, 290–291, 368, 369
 - national, 279, 289–290, 1359
 - suggestion by 1958 Executive Board, 369
 - for Intensified Programme, 468–469, 482, 543–563, 1355, 1359
 - vaccine from the field, 560, 561
 - 1971–1974, by WHO region, 561–562
- quantities supplied to countries, 470–471, 542
- requirements for Intensified Programme, estimated, 467–468, 472, 541
 - for 1967, 413
- reserve stocks, post-eradication, national, 1270
- WHO, 472, 1267–1270
- room-dried, *see* Vaccine, air-dried
- silicone ointment, 590
- see also* Vaccine production; Vaccinia virus; *and under names of individual countries;*

Vaccine and Serum Institute, Berne, 590

- Vaccine Institute, Paris, 286, 287
- Vaccine producers for Intensified Programme,
468–469, 541, 542, 543
location, 1967–1979, 560
visits by consultants, 555, 556
WHO 1967 survey, 543–547
- Vaccine production, before 1967, 278–289
during 19th century, 264–267, 281
for Intensified Programme, 542–564
endemic countries, 468–469, 563–564
establishment of WHO reference centres for
smallpox vaccine, 547–548
manual on production methods, 551–554
meetings of experts, 549–551
recommended strains, 552
use of animal skin, 551–552
post-eradication, 1270–1271
seed lots, 282, 290, 549, 552–553, 556–557, 1270
strains of vaccinia virus used, 1968 and 1971, 584
see also Vaccinia virus, strains; *and under names of individual countries*
- Vaccinia, accidental, 298, 299–300, 304–306
congenital, 301–302
generalized, 298, 299, 304–305, 473
histopathology, central nervous system, 142–143
ocular, 298, 306
progressive, 141, 161, 298, 299, 303–305
see also Vaccination
- Vaccinia-immune globulin, 302, 308–309
- Vaccinia necrosum, *see* Vaccinia, progressive
- Vaccinia virus, 74, 104–108
biological characteristics, 87, 106, 113
DNA, 79–80, 94, 106, 107
genetic stability, 282
haemagglutinin, 78, 106
heat resistance, 115, 116, 180
infectious dose, 187–188
isolation from natural sources, 105, 1311, 1312
mutants, 107
origins, 278
persistence in animals, 145, 146
recombination, 107
species diagnosis, 108
strains, 106, 107
attenuated, 583, 585–587
pathogenicity, 306–307, 581, 583
relation to postvaccinial encephalitis, 306–308
vaccine production, 281–282, 552, 582, 584
Bern, 306, 307, 545, 581, 583, 584
Copenhagen, 306, 308, 581, 583
EM63, 306, 582, 583, 584
Ikeda, 306, 583, 584
Lister, 84, 307, 308, 310, 544, 545, 549, 552, 556–557, 581, 582, 583, 584, 585, 586
New York City Board of Health, 306, 310, 545, 552, 582, 583, 584, 585, 586
Paris, 545, 583, 584
- Vaccinia virus, strains, vaccine production (*cont.*)
Tashkent, 306, 583, 584
Temple of Heaven, 582, 583, 584
vector for vaccines, 107, 540, 541, 1286
viability, 115, 116, 180, 183
see also Envelope of vaccinia virus; Orthopoxviruses
- Vaccinifers, calves, 247, 265–267, 280, 543, 545, 552
eggs, 279, 543, 545, 588, 1158
harvest, 281
preparation, 280
recommended by WHO, 551–552
scarification, 280–281
sheep, 543, 545
tissue culture, 543, 545, 588–590
water buffaloes, 543, 545
- Vanuatu, vaccine supplied, 471
- Varieties of smallpox, 3–4
- “Variola intermedius”, 4, 177–178
- Variola major, 3–4, 96–97
case-fatality rate, 4, 5, 51, 53, 54, 175–178
clinical types, classification, 4–5
congenital, 42, 126, 127
effect of malnutrition, 164
infectivity, case contacts, 190
compared with chickenpox and measles, 199–200
compared with monkeypox, 1305
during incubation period, 189
influence of clinical type, 189–190
influence of vaccination, 189–190, 689
oropharyngeal secretions, 183–184, 185–186
scabs, 184–185, 188
pre-eruptive stage, 5–6
prognosis, 50–55
secondary attack rates, 200
subclinical, 30–31
toxaemia, 6, 32, 37, 130
virus, 99, 100–101
see also Flat-type smallpox; Haemorrhagic-type smallpox; Modified-type smallpox; Ordinary-type smallpox; Spread of smallpox; Variola virus; *and under names of individual countries*
- Variola minor, 3, 36, 38–40
case-fatality rate, 175, 177, 178, 621
clinical features, 38–40
congenital, 42
effect of malnutrition, 164
encephalitis after, 49
haemorrhagic, 39
incidence relative to variola major, 316–317, 323, 324–326, 330
infectivity of ambulant cases, 190, 200
pathology, 132, 138
perception of importance, 198, 316–317, 995–996
pre-eruptive stage, 6, 38–39
problems with certification, 1199

Variola minor (cont.)

- rash, 36, 39, 1014
- secondary attack rates, 200
- spread, among nomads, 205
 - around world, 212–213, 232, 234, 242–243
 - hospitals, 202
 - schools, 202
 - in USA, 212, 243, 331
- subclinical, 40
- susceptibility of Maoris, 195
- toxaemia, absence, 39, 130
- virus, 97, 99–101
- see also* Alastrim; Amaas; and under names of individual countries

Variola sine eruptione, 4, 27, 29–30, 40*Variola virus*, animal reservoir, 479–480, 1322–1333

- biological characteristics, 84, 85, 87, 97–101, 113
- deliberate release, 1341, 1343
- DNA, 94, 101–103
 - cloning, 1275–1276, 1282, 1340
- growth in cultured cells, 98–99, 112
- heat resistance, 115–116, 180
- infection with, airborne, 186–187, 192–193, 435, 481, 1098
 - alimentary tract, 183
 - arthropod-borne, 183
 - congenital, 123–124
 - conjunctiva, 123
 - contact, 189, 190, 191, 199, 203, 204, 205, 206, 207, 422, 689, 699
 - fomites, 194, 202, 234, 1077, 1343
 - respiratory tract, 123, 186–187
 - skin, 123, 187
- infectious dose, 188
- isolation, animal sources, 96
 - contacts, 128–129
 - oropharyngeal secretions, 29–30, 128, 183–184
 - skin lesions, 184–185
 - smallpox patients, 45
 - tear fluid, 30, 45
 - urine, 184, 186
 - variola sine eruptione*, 29–30
- isolation media, cultured cells, 83, 114
 - chorioallantoic membrane, 113–114
- origin, 116–119, 1343–1344
- pathogenicity, chick embryo, 83, 87, 97, 100
 - cow, 98
 - non-human primates, 98, 127, 1323–1325
 - rabbit, 82, 84, 97–98
- persistence, animals, 145–146
 - environment, 1343
 - humans, 144
 - scabs, 115–116, 194
 - variola material, 683, 684, 1333–1334
- pocks on chorioallantoic membrane, 82, 83, 84, 97, 111–112
- portal of entry, 123, 182–183, 186–187
- propriety of annihilation, 1339

Variola virus (cont.)

- reactivation in man, 1343
- recombination with cowpox virus, 103–104
- shedding, 183–186
- species diagnosis, 104, 113
- spread through body, 128–129
- viability, 115–116, 180, 480, 682, 683, 684, 1173–1174, 1177
- virulence, laboratory tests, 99–101
- thymidine kinase, sensitivity to feedback inhibition, 87, 99
- “transformation”, 74, 1343–1344
- see also* Laboratory stocks of variola virus

“Variolae vaccinae”, 74, 1316*Variolation*, banning, 247, 253, 271

- cause of smallpox, 187, 198, 218, 235, 237, 256, 257, 274, 664, 681, 683, 684, 685, 1033, 1255, 1259–1260, 1333–1334
- cutaneous inoculation, 187, 246, 247, 249–251, 252
- incubation period, 41, 123
- pathogenesis, 125
- site, 258
- Suttonian method, 256
- clinical course, 40–42, 246, 249–251
- control of smallpox by, 247, 256, 275
- deaths after, 255
- distinction from vaccination, 217, 246, 249–251, 252
- equipment, 662, 683, 980, 1260
- history, 212–213, 225–226, 245–258
- incubation period, 41, 188
- insufflation, 246, 247, 252–253, 268
- isolation of subjects, 256, 274
- preparation for, 255
- protective effect, 254–255, 257
- viability of virus, 480, 682, 683, 684, 1173–1174, 1177
- see also* under names of individual countries

Vehicles, cost of operation, 786

- maintenance, 702, 834, 859, 863, 919, 1055
- use in eradication programmes, 1360
 - Afghanistan, 665
 - Bangladesh, 814, 822, 826, 834, 835, 836
 - Brazil, 602, 611, 614, 622
 - eastern Africa, 955, 960
 - Ethiopia, 1010, 1015, 1016
 - India, 757, 758, 769, 773, 786
 - Indonesia, 631, 638, 645, 652
 - Somalia, 1051, 1052, 1055, 1062, 1065
 - Sudan, 942
 - western and central Africa, 859, 860, 863, 868, 884, 889, 906
 - Zaire, 915, 918, 919, 920, 922
- see also* Helicopters

Venezuela, certification by international commission, 1151, 1155

- expenditure for smallpox eradication, 398, 597
- smallpox, elimination, 333, 334, 595

- Venezuela, smallpox (*cont.*)
 importation, 594, 1085
 incidence, 1930–1958, 334
 1959–1971, 594
 vaccination, 599, 600
 vaccine production, 622–623
 variolation, 256
 yellow fever, 376, 379
- Viet Nam, certification by Global Commission, 1197, 1224–1225
 smallpox, 345–346
 elimination, 338, 397
 laboratory specimens tested, 1121
 vaccine supplied, 471
- Viraemia in smallpox, 128
- Viral haemorrhagic fevers, African, 1278
- Virological observations in smallpox, 44–45, 128–129, 183–186
- Voluntary Fund for Health Promotion, WHO, 466, 467, 469
see also Malaria Eradication Special Account; Special Account for Smallpox Eradication
- Volunteers, use in Intensified Programme, 443
 Austrian, 1015, 1016, 1026
 Japanese, 1015, 1016, 1018, 1026
 OXFAM, 464, 466, 775, 835, 837, 1053
 USA, Peace Corps, 922, 923, 976, 1002, 1008, 1009, 1010, 1012, 1015, 1017, 1026, 1042, 1295
 women, in Afghanistan, 664, 666, 667
- Watchguards, for containment, 511–513, 780, 782, 783, 785, 786, 838, 844
- Weekly epidemiological record*, 432, 447, 449, 478, 520, 1073, 1124, 1249, 1356, 1363
- Western Africa, certification by international commission, 1112–1113, 1128, 1162–1168
 members of international commission, 1141, 1167
 pockmark surveys, 1164–1166, 1167
 health service structures, 852, 864–865, 868
 human monkeypox, 1280, 1295, 1296, 1297, 1306–1307
 measles control programme, 850, 853–855, 862, 875
 names of countries, 851
 smallpox, case-fatality rates, 176, 178
 eradication programme combined with measles control, costs, 859, 860
 development, 853–860
 “eradication-escalation”, 878, 885, 889
 government agreements, 857–860, 863–864, 870–871
 international organizations, role, 874–876
 jet injectors, 855–856, 861–862, 864, 872, 873, 874
- Western Africa, smallpox, eradication programme combined with measles control (*cont.*)
 national programmes, 879–906
 objectives, 860
 operations officers, 861
 planning, 869–870
 surveillance, 870, 871
 surveillance-containment, 876–879
 training, 862–863, 871
 USA, role, 849–850, 857
 history before 1900, 233, 234
 incidence, seasonal, 180, 878
 1920–1966, 351–352, 355
 1961–1970, 852–853
 1966–1971, 1163
 vaccination, assessment, 873–874, 899
 campaign, 1967–1968, 872–873
 procedure, 864–865, 872
 1967–1972, 881
 variolation, 233, 235, 1163
see also under names of individual countries
- White pock mutants, cowpox virus, 80, 92, 108–109
 monkeypox virus, 92, 1291–1292
 rabbitpox virus, 107
- “Whitepox” virus, 96, 103, 1292, 1294, 1310, 1326–1333
 DNA, 1331–1332
 Netherlands isolates, 1326, 1327–1329
 security after 1980, 1276
 “white clones” of monkeypox virus, 1326, 1330–1332
 Zaire isolates, 1327, 1328, 1329–1330
- WHO collaborating centre, Atlanta, USA, 110, 111, 113, 435, 479
 monkeypox investigations, 1292, 1294, 1297, 1298, 1306, 1308–1310, 1333
 smallpox laboratory, 1335, 1336, 1337, 1342
 inspection by WHO, 1276
 smallpox-monkeypox diagnostic service, 1120–1121, 1272, 1280–1281
 storage, seed lots of vaccinia virus, 1270
 studies of “whitepox” viruses, 1282, 1331–1332
 variola virus stocks, 1274, 1275, 1276, 1340, 1341
- Moscow, USSR, 110, 111, 112, 435, 479
 inspection by WHO, 1277
 monkeypox investigations, 1293, 1294, 1297, 1298, 1306, 1309–1310
 smallpox-monkeypox diagnostic service, 1120–1121, 1272, 1280–1281
 variola virus stocks, 1275, 1276, 1340, 1341
- WHO Expert Committee on Biological Standardization, 290
- WHO Expert Committee on Malaria, 381, 383, 385, 1107

- WHO Expert Committee on Smallpox, 290, 293, 311, 402–403, 484, 580, 724, 1108
- WHO Expert Committee on Smallpox Eradication, 4, 432, 580, 1108–1109, 1115, 1321
- WHO Expert Committee on Tuberculosis, 915
- WHO Expert Committee on Venereal Infections and Treponematoses, 387
- WHO Informal Group on Monkeypox and Related Viruses, 480, 1293, 1294–1295, 1325
- WHO International Reference Centre for Smallpox Vaccine, Bilthoven, 547–548, 560, 583, 589, 590
 inspection by WHO, 1277
 preparation of working reference vaccine, 556
 preparation of seed lots of Lister strain vaccine, 556
 vaccine testing, 555–562, 730, 1268
- WHO quarantine unit, 475, 476
- WHO Regional Reference Centre for Smallpox Vaccine in the Region of the Americas, Toronto, 547, 560
 vaccine testing, 547, 603, 622, 623, 625, 1156
- WHO regional offices, *see* Regional offices of WHO
- WHO Scientific Group on Smallpox Eradication, 4, 110, 432, 578, 580, 1108, 1321
- WHO Study Group on Requirements for Smallpox Vaccine, 282, 290, 549
- World Council of Churches, 883
- World health*, special issues on smallpox eradication, 452, 453, 1106
- World Health Assembly, agenda on Intensified Programme, 446–447
 representation of Member States, 426–427
 1953, Sixth, proposal by Director-General for smallpox eradication, 366, 391–392
 1955, Eighth, endorsement of global malaria eradication programme, 381
 1958, Eleventh, proposal by USSR for global smallpox eradication programme, 366–368
 resolution WHA11.54, 368, 550
 1959, Twelfth, report by Director-General on smallpox eradication, 369–370
 resolution (WHA12.54) on global smallpox eradication programme, 366, 370–371, 811, 1349
 1960, Thirteenth, official register for malaria eradication, 1107
 1961, Fourteenth, criticism of smallpox programme, 396–397
 resolution (WHA14.40), 397, 550
 1964, Seventeenth, criticism of smallpox programme, 403
 1965, Eighteenth, declaration of goal of smallpox eradication, 408–409
- World Health Assembly, 1965, Eighteenth (*cont.*)
 report by Director-General, 408
 support for specific WHO budget for smallpox eradication, 409
 1966, Nineteenth, report on plan for Intensified Programme, 410–414
 discussion and voting, 415–416
 1970, Twenty-Third, endorsement of Executive Board resolution on surveillance-containment, 483
 1973, Twenty-Sixth, delegate's comment on smallpox in India, 753
 1977, Thirtieth, resolution (WHA30.52) on smallpox in Somalia, 1053
 resolution (WHA30.53) on Expanded Programme on Immunization, 1353
 1980, Thirty-Third, recommendations on post-smallpox-eradication activities, 1264, 1267, 1270–1271, 1273–1274, 1276, 1280–1281, 1283, 1284
 resolutions (WHA33.3, WHA33.4) on smallpox eradication, 1135–1139, 1140, 1264
 1986, Thirty-ninth, resolution (WHA39.21) on dracunculiasis elimination, 1367, 1368–1369
- World Health Organization, allocation of smallpox eradication funds, by region, 461–462
 budgetary provision for smallpox eradication, 409–410, 460–463
 catalytic role, 1370
 consultants, 431, 483, 549, 555, 556, 1129, 1361
 Director-General, 392, 399, 425, 427, 429
 expenditure on smallpox eradication, 463, 464
 headquarters, 1347
 programme management, 428, 429–431
 organizational structure, 428
 membership and governing bodies, 425–427
 post-eradication activities, 1263–1286
 regions, 426
 relations with, China, 1228, 1248, 1250–1253
 countries in southern Africa, 969–970, 982, 984, 985, 1198, 1199, 1205–1209
 representatives in countries, 436–437, 1350
 smallpox control and eradication activities, 1946–1958, 366, 388–393
 smallpox eradication, archives, 1284
 documentation, 1283–1284
 publications, 1283–1284
 staff, 1967, 422–423, 430
see also Executive Board of WHO; Global smallpox eradication programme; Intensified Smallpox Eradication Programme; Regional offices of WHO; Smallpox Eradication unit; World Health Assembly
- Wyeth Laboratories, Philadelphia, 479, 550, 551, 569, 576, 1267
 development of bifurcated needle, 568, 569
 vaccine of low bacterial content, 578, 579

- Yaws, 386–387, 411, 1369
- Yellow fever, eradication, Cuba, 374–375
 global, 375–376, 1322–1323
 Panama, 375
 Rio de Janeiro, 375
 natural history, 374, 377, 1323
 vaccination, combined with smallpox vaccination, 311, 893
 vaccine, avian leukosis virus in, 588
- Yemen, certification by international commission, 1197, 1218–1219
 members of international commission, 1145
 civil disorder, 999, 1000
 expenditure for smallpox eradication, 398, 1000
 Intensified Programme, 1000–1003
 chronology of progress, 518–523
 Mecca pilgrims, 1000
 refugees, 1002
 smallpox, elimination, 349, 1003
 incidence, 1967–1975, 1000
 laboratory specimens tested, 1001, 1002, 1121, 1218
 occurrence, 999–1000
 pockmark survey, 1218, 1219
 surveillance, 1002
 vaccination, 998, 999, 1000–1003
 vaccine supplied, 471, 1000
 variola major, 999
 variola minor, 1003
- Yugoslav Academy of Sciences and Arts, 581
- Yugoslavia, smallpox, elimination, 319, 322
 importation, 1074, 1091–1095
 atypical haemorrhagic-type case, 1092
 incidence, 1920–1958, 319, 323
 vaccine, donated, 464, 564
 supplied, 471
- Zaire, certification by international commission, 1151, 1168–1170
 civil war, 913, 916
 communications, 912, 913, 920, 927
 contributions for smallpox eradication, 401, 464
 expenditure for smallpox eradication, 915–916
 human monkeypox, discovery, 923–925, 1292–1293, 1294
 research, 1295–1311
 surveillance, 1277–1280, 1295, 1311
- Intensified Programme, 915–929
 agreement with government, 912
 bifurcated needles, 917
 chronology of progress, 518–527
 coordination, by WHO Headquarters, 915
 by WHO Regional Office for Africa, 917
 jet injectors, 917–918
 operations officer, 929
- Zaire, Intensified Programme (*cont.*)
 pilot programme, 916, 917
 reporting system, 929
 resources employed, 922
 restructured programme, 918–920
 surveillance, 922–923, 925–929
 bulletin, 919
 vehicles, 915, 918, 919, 920, 922
 volunteers, Peace Corps, 922, 923
 molluscum contagiosum, 1318
 smallpox, 354–355, 445, 911–912, 914–929
 case-fatality rate, 914
 elimination, 354, 926
 incidence, age, 926
 seasonal, 180, 914
 1920–1966, 356
 1956–1971, 914
 laboratory specimens tested, 926, 929, 1120, 1170
 pockmark surveys, 1169
 spread to other countries, 1074, 1084
 tanapox, 1318–1319
 vaccination, BCG, 912, 914–915, 918, 926
 with jet injectors, 918
 smallpox, 917–918, 921–922, 926
 assembly point, 912, 915
 assessment, 924, 929
 vaccine, production, 355, 562, 919
 supplied, 470, 919
 variola, major, 355, 914
 minor, 354–355, 914
 see also Monkeypox, human; Monkeypox virus
- Zambia, certification by international commission, 1197, 1200–1202
 members of international commission, 1143, 1202
 chickenpox surveillance, 1200, 1201
 expenditure for smallpox eradication, 973
 health facilities, 972
 Intensified Programme, 973–975
 chronology of progress, 518–521
 surveillance, 974
 smallpox, case-fatality rate, 972
 elimination, 359, 974
 importations, 974, 1084
 incidence, age, 974–975
 1923–1966, 360, 972–973
 1956–1973, 972
 1967–1974, 1198
 laboratory specimens tested, 1120, 1200, 1201
 pockmark survey, 1200, 1201
 vaccination, BCG, 973
 smallpox, 445, 972–975
 vaccine supplied, 470, 973
 variola, major, 359, 972
 minor, 359, 972
- Zanzibar, *see* United Republic of Tanzania

Zimbabwe (Southern Rhodesia), certification by
 Global Commission, 1197, 1208–1210
 pockmark surveys, 1208
 visit by consultants, 1208–1209
relations with WHO, 970, 977
smallpox, case-fatality rate, 975
 elimination, 359, 981
 incidence, 1921–1966, 359, 360
 1967–1974, 978, 980–981, 1198

Zimbabwe, smallpox (*cont.*)
 laboratory specimens tested, 980, 981, 1120,
 1209
 spread to other countries, 1084
vaccination, BCG, 976
 poliomyelitis, 976
 smallpox, 1964–1973, 976
vaccine, liquid, 976, 1209